


ISSUE	ITEM	CHANGED FROM	DATE	CM. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X		ENG RELEASE	27 APR 72		NAT	4B	<i>[Signature]</i>	X	1	WI123-22	WIRE, MAGNET	
X1		60° 4 TURNUS WAS 90° 8 TURNUS.	22 Jun 72		NAT.	4B	<i>[Signature]</i>	1	2	CI10012-744-10	CORE, TOROIDIAL	
								X	3	GL104-2	INSULATING VARNISH	



INDUCTANCE .16 μ H \pm 10%

AFTER ADJUSTING, DIP IN INSULATING VARNISH, (ITEM 3), AND BAKE FOR ONE HOUR AT 125°C AND COOL AT -20°C FOR ONE HOUR
NOTE:

MODEL	PROJECT NO.	ASSY. NO.	DATE	STOCK SIZE	TMC (Canada) LIMITED OTTAWA ONTARIO
REX 1	A11029-5		27 APR 72		COIL, RF
USED ON				MATERIAL	THOMAS
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION REMOVE ALL BURRS AND SHARP EDGES				WEIGHT PER PC	
IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.				TYPE & TEMPER	
TOLERANCES				HEAT TREAT SPEC.	L. BROWN
DEC. DIM. 1 .X = .08				FINISH & SPEC. NO.	
FRAC. DIM. $\pm \frac{1}{64}$.XX = .01					
ANGULAR DIM. $\pm 0' 30''$.XXX = .008					
ALL OTHERS	SCALE 4:1			DRAWN	MECH. DES. APP.
	DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED			CHECKED	
	DRILL: PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.				
	FINAL APPROVAL				
	CL10062				X1