



CL-159

USED ON	
REQ. PER. UNIT	DATE
1	9-23-59
MODEL	ASSY. N.
RFD-1	
RFC-1	11-22-60



ELECTRICAL SPEC.  
 L Min.- Less than 4.5  $\mu$ hy  
 L Max.- More than 7.2  $\mu$ hy  
 Q - at 7.9 MC -  
 F (TEST) - 7.9 MC  
 OPERATING FREQ. - 4-8 MC  
 MECHANICAL SPEC.  
 COIL FORM - Phenolic  
 CORE - Powdered Iron  
 WINDING - 20 turns #25 Wire  
 MOUNTING -  $\frac{1}{4}$ -28 Thd. Stud



SYMBOL		DESCRIPTION	
		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		COIL, RF, TUNED, 4-8 MC	
REG. ITEM	PART NO.		
		STOCK SIZE	
		MATERIAL	
		DRAWN	CHECKED
		10/9/59	JNS
		FINAL APPROVAL	
		AMB	
		CL-159	
ISSUE ITEM	CHANGED FROM		
		DATE	CH. NO.
		DRAFTS	CHECKER
			1A1657
		ENG. APP.	
TOLERANCES			
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES			
DEC. DIM. $\pm$	DIM.		
FRAC. DIM. $\pm$	FOR REF.		
ANGULAR DIM. $\pm$			
		FINISH & SPEC. NO.	ELEC. DES. APP. MECH. DES. APP.