


THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ. PER UNIT	MODEL	USED ON ASS'Y. NO.	DATE
1	HFR-1A		2-24-64
1	HFR-2		

CL 330

A



START



~SCHEMATIC~

BOTH LEADS 2" LONG

NOTE: USE TMC COIL STD. FOR ELECT. TEST. REF.

~ELECTRICAL SPECIFICATIONS~

L = 11.0 μ h \pm 0.2 μ h.

Q = 190 MIN @ 4.25 MC

C DIST. = 0.7 μ mf (FOR REF.)

MODEL	REQ.	FUNCTION	FREQ. (MC)	SYMBOL
HFR-1A	1	BAND 1 OSC.	3.75 - 4.75	L1012
HFR-2	1	BAND 1 OSC.	3.75 - 4.75	L1012

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
1		ANGER	
A		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
Q		COIL, RF, TOROID	
X		BAND #1 OSC.	
SYM			
<p>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES ON FRAC. \pm 1/64 DEC. \pm .005 ANGLES \pm 1/2°</p>			
<p>SCALE: NONE 1A3491</p>			
<p>MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES</p>			
DATE	CH. NO.	DRAFTS	CHECKER
1-6-67	17616	WHD	JLS
8-13-64			
3/25/64			
DESCRIPTION		ENG. APP.	
		1A3491	
TYPE & TEMPER	HEATTREAT. SPEC.	DRAWN	CHECKED
		G.D.L	@
FINISH & SPEC. NO.		ELEC. DES. APP. MECH. DES. APP.	
		RAT	
		CL 330	
		FINAL APPROVAL	
		A	