

IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.


MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

STANDARD DRAWING

ELECTRICAL SPECS:

INPUT IMPEDANCE = 600 Ω UNBALANCED
 OUTPUT IMPEDANCE = 600 Ω
 ATTENUATION AT MIDBAND FREQUENCY OF 2515 c/s LESS THAN -1 db
 ATTENUATION AT 2,125 c/s & 2,975 c/s LESS THAN -3 db
 CENTER FREQUENCY 1,500 c/s & 4,000 c/s GREATER THAN -40 db
 2,125 TO 2,975 CYCLES SHIFT


FX10005 A



6-32 STUDS-4

FINISH NOTE:
 DEGREASE
 S114-ZINC CHROMATE PRIMER
 S153-SMOOTH GREY ENAMEL-AIR DRYING

DRILLING PLAN



REF. BAYLY ENGINEERING LTD.
 # BEL 2454

REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
			TMC (Canada) LIMITED OTTAWA ONTARIO	
		STOCK SIZE	FILTER-BAND PASS	
		MATERIAL	DCM	
		WEIGHT PER PC.		
		TYPE & TEMPER	DRAWN	ELEC. DES. APP. MECH. DES. APP.
		HEAT TREAT. SPEC.	CHECKED	FINAL APPROVAL
		SEE NOTE		
		FINISH & SPEC. NO.		

ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
A	2	SHEET 2 DELETED				WHD	
A	1	ELECTRICAL SPECS. REWRITTEN	17/6/1960			WHD	

TOLERANCES SCALE: 1:1

ALL OTHERS DEC. DIM. ±
 FRAC. DIM. ±
 ANGULAR DIM. ±

DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.

TIS 2

APR 13/59

MODEL	PROJECT NO.	ASS'Y. NO.	DATE

USED ON

FX10005 A