



REQ. PER UNIT	USED ON			MS-1240	A
	MODEL	ASS'Y. NO.	DATE		
2	RFA-1		5-12-58		



A - 1/64 (.171) D. 2 Req.

B - 5/8 (.625) D. 1 Req.



Mount SM-III-D-206 in "C" Holes as shown.


REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
		.064 THK.	THE TECHNICAL MATERIEL CORP.				
		STOCK SIZE	MAMARONECK. NEW YORK				
		ALUMINUM	BRACKET, CAPACITOR MTG.				
		MATERIAL					
		5052-H32	— # —	16 ⁵ /12/58	Jase	o/mo	
		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
		S404-YEL-IRIDITE		RFB		MS-1240 A	
		FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.			

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
A	1	S404-YEL-IRIDITE WAS 5101-CAUSTIC DIP	12-59	1001	P		EMN

TOLERANCES	SCALE: FULL
DEC. DIM. ±	MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.
FRAC. DIM. ± 1/64	REMOVE ALL BURRS AND SHARP EDGES
ANGULAR DIM. ±	


REQ. PER UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
2	GPR-90RX		4-3-58
2	RAK-4		4-23-58

MS-1214 C



ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL								
C	1	Mat. was 16 GA.	9/2/58	440	file	LS	Alm	12 GA.		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	CLAMP, CHASSIS								
B	1	DIM. CHG 13/16 W x 5 1/8	8/7/58	417	file	file	Alm	STEEL											
A	1	1/8 was 1	6/4/58	1	file	file	Alm	COLD ROLLED											
TOLERANCES			SCALE:					MATERIAL											
DEC. DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES					TYPE & TEMPER		HEAT TREAT. SPEC.		DRAWN		CHECKED		FINAL APPROVAL			
FRAC. DIM. ± 1/64								CADMIUM PLATED		• 6002									
ANGULAR DIM. ± 1°								FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.		MS-1214 C					

REQ. PER UNIT	USED ON			MS-1220
	MODEL	ASS'Y. NO.	DATE	
1	PSP-350	MS-1221	4-23-58	




PERFORATION:
 .072 Diam. Holes on
 1/8" Centers.

REF.- 4 MS-1221 TOP COVER


REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
	.051 THK.	THE TECHNICAL MATERIEL CORP.	
	STOCK SIZE	MAMARONECK, NEW YORK	
	ALUMINUM	BLANK SIZE, TOP COVER	
	MATERIAL		
ISSUE ITEM	CHANGED FROM	DATE	CH. NO. DRAFTS CHECKER ENG. APP.
TOLERANCES		SCALE:	
DEC. DIM. ±		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.	
FRAC. DIM. ± 1/64		REMOVE ALL BURRS AND SHARP EDGES	
ANGULAR DIM. ±			
5052H32	— # —	16 4/23/58	
TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
	#		
FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	
			MS-1220

REQ. PER UNIT	USED ON			MS-1226	B
	MODEL	ASS'Y. NO.	DATE		
2	PSP-350		5-1-58		
2	PSP-350A				




ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL		
B	1	DWG UPDATED	11/8/63	10348	MD	MJP	DAB	.081 THK STOCK SIZE		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
A	1	S404-IRIDITE WAS S101-CAUSTIC DIP	12-8 59	1001	P		EMN	ALUMINUM MATERIAL		BRACKET, TOP COVER			
TOLERANCES			SCALE: FULL					5052-H32	16 5/1 58	JAD	JHR		
DEC. DIM. ± FRAC. DIM. ± 1/64 ANGULAR DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES					TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
								S404-IRIDITE				MS-1226	B
								FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.			

REQ. PER UNIT	USED ON			MS-1227	D
	MODEL	ASS'Y. NO.	DATE		
2	PSP-350		4-24-58		




A - $\frac{11}{64} \times \frac{11}{32}$ SLOT 2 REQ.
 B - $\frac{7}{32}$ (.218) D. 1 Req.



Ref. MS-1126 (Front Bracket)

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL						
D	1	S404 - IRIDITE WAS 5/16 WAS 5/32 LAUSTIC DIP	5/25/58	1001	P		EMN										
C	1	A - WAS 5/32 (.156) D HOLE - 2 REQ.	5/7/58	417	ave	file			.064 THK.	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	BRACKET, RESISTOR MOUNTING						
B	1	5/16 WAS 3/8	5/9/58	2	file	16			STOCK SIZE								
A	1	1 1/8 WAS 1 WAS 1 PER UNIT	4/30/58	1	16	file			Aluminium								
TOLERANCES								MATERIAL									
SCALE: FULL								5052H32									
DEC. DIM. \pm								TYPE & TEMPER		HEAT TREAT. SPEC.		DRAWN		CHECKED		FINAL APPROVAL	
FRAC. DIM. \pm 1/64								S404 - IRIDITE									
ANGULAR DIM. \pm								FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.		MS-1227		D	
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.																	
REMOVE ALL BURRS AND SHARP EDGES																	


REQ. PER UNIT	USED ON			MS-1229	C
	MODEL	ASS'Y. NO.	DATE		
2	PSP-350		4-28-58		
2	PSP-350A				



A - 1/8 (.125) D. 2 Req.
 B - 13/64 (.203) D. 2 Req.


ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL		
C	1	DWG UPDATED	11/3/58	10348	DD	m/h	QRB			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	C		
B	1	S404-1RIDITE WAS 5101 CAUSTIC DIP	12-8-59	1001	P		EMAN					BRACKET, CONNECTOR MTG.	
A	1	1/2 LIP WAS 3/8 5/16 C. WAS 3/16 2-3/8 WAS 1-7/8. "B" WAS 1/64 D.	5/1/58	1	16	Jade	QRB						
TOLERANCES		SCALE: FULL		5052-H32 — N — 16/28/58									
DEC. DIM. ±		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.		TYPE & TEMPER		HEAT TREAT. SPEC.		DRAWN		CHECKED		FINAL APPROVAL	
FRAC. DIM. ± 1/64		REMOVE ALL BURRS AND SHARP EDGES		S404-1RIDITE				Jade		EMAN		MS-1229 C	
ANGULAR DIM. ±				FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.					

REQ. PER UNIT	USED ON			MS-1230	B
	MODEL	ASS'Y. NO.	DATE		
1	PSP-350		4-28-58		




REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
		.051 THK.	THE TECHNICAL MATERIEL CORP.				
		STOCK SIZE	MAMARONECK. NEW YORK				
B	1	S404-YEL. IRIDITE	VENT, RIGHT SIDEPLATE				
		12-8					
		59					
		1001					
A	1	Notch (3/4R) WAS 11/16 R					
		6/5/58					
		1					
		16					
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
TOLERANCES			SCALE: FULL				
DEC. DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.				
FRAC. DIM. ± 1/64			REMOVE ALL BURRS AND SHARP EDGES				
ANGULAR DIM. ±							
5052-H32		16 4/28/58		JMS		DM	
TYPE & TEMPER		HEAT TREAT. SPEC.		DRAWN		CHECKED	
S404-YEL. IRIDITE				DM			
FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.		MS-1230	
						B	

REQ. PER UNIT	USED ON			MS-1231	A
	MODEL	ASS'Y. NO.	DATE		
1	PSP-350		5-1-58		



REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL				
	.081 THK.	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	A				
	STOCK SIZE						
	Aluminum	PLATE, CONNECTOR LOCKING					
	MATERIAL						
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
A	1	S404-YEL-IRIDITE WAS S101-CAUSTIC DIP	12-8 59	1001	P		EMN
TOLERANCES		SCALE: FULL					
DEC. DIM. ±		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES					
FRAC. DIM. ± 1/64							
ANGULAR DIM. ±							
5052-H32		HEAT TREAT. SPEC.		DRAWN		CHECKED	
S404-YEL IRIDITE		FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.	
		651-58		JSE		CMA	
						MS-1231	
						A	

REQ. PER UNIT	USED ON			MS-1241	A
	MODEL	ASS'Y. NO.	DATE		
			5-12-58		



A - 11/64 (.171) D. 2 Req.
 B - 13/64 (.203) D. 1 Req.


DELETED FROM RFA-1 5-24-58

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
		.064 THK.	THE TECHNICAL MATERIEL CORP.				
		STOCK SIZE	MAMARONECK, NEW YORK				
		Aluminium	BRACKET, GLASS CAPACITOR				
		MATERIAL	MOUNTING.				
		5052-H32	16 ^B /12/58	JH	ah		
		TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
		5404-1/2 IRIDITE		RFB	MS-1241	A	
		FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.			



ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
A	1	5404-1/2 IRIDITE 5101-CAUSTIC DIP	12-8 59	1001	P		EMM

TOLERANCES	SCALE: FULL
DEC. DIM. ±	MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES
FRAC. DIM. ± 1/64	
ANGULAR DIM. ±	

REQ. PER UNIT	USED ON			MS-1242	A
	MODEL	ASS'Y. NO.	DATE		
2	RFA-1		5-6-58		



A - 1/8 (.125) D. 8 Req.
 B - 1/4 (.250) D. 3 Req.



ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL				
										THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK BRACKET, TRIMMER MTG.					
									.064 THK. STOCK SIZE						
									Aluminum						
A	1	5404-YEL-1 IRIDITE WAS S101 CAUSTIC DIP	12-8 59	1001	P		EMN								
TOLERANCES			SCALE: FULL												
DEC. DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES												
FRAC. DIM. ± 1/64															
ANGULAR DIM. ±															
								5052-H32		16 5/16 58	JAWe	dm			
								5404-YEL IRIDITE			RFB				
								FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	MS-1242 A			