



REVISIONS							
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD	APPD
	X	DWG. No. WAS 40M12B7206	8-20-66		C. GROB		
	Ø	ORIGINAL RELEASE	8-15-69		GE		



NOTE:

1. BREAK EDGES & REMOVE BURRS.
2. BERYLLIUM COPPER, 1/4 H., .015 THICK, HEAT TREAT, AFTER FORMING, AT 600° ± 5° F FOR 2-1/2 HOURS.



2	SPT-3KVHF	BIAS CONT & AM-MOD.
1		
QTY / UNIT	MODEL USED ON	ASS'Y NO.
APPLICATION A8079		
	CODE	
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

DECIMALS .X ± .05 .XX ± .01 .XXX ± .005 TOLS. 1/64 ANGLES 0° -30'

MATERIAL SEE NOTE 2

FINISH NICKEL PLATE

REQ'D	ITEM	PART NUMBER	DESCRIPTION	SYM.
LIST OF MATERIAL				
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
CLIP, DIODE				
SIZE	CODE IDENT. NO.	DWG NO.	ISSUE	
B	82679	MS 8332	Ø	
SCALE 2:1			SHEET 1 OF 1	