


REQ. PER UNIT	USED ON			NP843	B
	MODEL	ASS'Y. NO.	DATE		
	CSS-1C		6.29.66		



NOTE 1 FINISH:
REVERSE ETCH, LUSTERLESS BLACK
(37038) BACKGROUND PER FED-STD-595

NOTE 2 TYPE FACE
LETTERING TO BE GOTHIC OR SPARTAN;
W/MODIFIER (HEAVY, MEDIUM, CONDENSED
ETC.)
AS REQUIRED TO FIT SPACE.

NOTE 3 IDENTIFICATION PLATE TO BE
MANUFACTURED IN ACCORDANCE WITH
MIL-P-15024 AND AMENDS. (TYPE A)

CORNER RADIUS- INSIDE AND OUTSIDE 1/8 R
4 HOLES REQ.- 1/8 DIA
BORDERS- 1/16
SERIAL BLOCK- 3/16 x 3/4
CONTACT BLOCK- 1/8 x 1 1/2

B	UPDATED NOMENCLATURE	1/27/69	19373	CV	JDE	EFM	REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
A	MFR. FOR NAVY DEPT. WAS NAVELEXSYSCOM	3-29-67	18049	L.R.K.	JCS	MM		.032 THK	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	B	
Ø	ORIGINAL RELEASE FOR PRODUCTION	12.16.66	Ø	RME				STOCK SIZE			
X1	CHG'D BUSHIPS (SHORE) TO NAVELEXSYSCOM	12.12.66	X1	RME	JCS			ALUMINUM	IDENTIFICATION PLATE		
								MATERIAL	TMC MODEL CSS-1C		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES							SCALE	5052-H32	drawn	JCS	M. J. Han
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	CODE				TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
							SEE NOTE				
							FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.	NP843