


A -  $\frac{13}{64}$  4 HOLES REQ.  
 B -  $\frac{5}{16}$  2 HOLES REQ.



NOTE:  
 LACQUER ALL SURFACES  
 WITH 5113 FUNGUS RESISTANT  
 VARNISH.

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
A	1	NOTE WAS: LACQUER ALL SURF. EXPOSED BY MACH. & CUTT	8.10.64	12087	WLB	WLB	
TOLERANCES		SCALE:					
DEC. DIM. $\pm$		MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.					
FRAC. DIM. $\pm$ $\frac{1}{64}$		REMOVE ALL BURRS AND SHARP EDGES					
ANGULAR DIM. $\pm$							

4	TER-5000		A-1431(8)	4-17-57
REQ. PER UNIT	MODEL	PROJECT NO.	ASS'Y. NO.	DATE
USED ON				

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
$\frac{1}{2}$ THICK		THE TECHNICAL MATERIEL CORP.	
STOCK SIZE		MAMARONECK. NEW YORK	
PHENOLIC		INSULATOR, BOTTOM PEDESTAL	
MATERIAL		TER-5000	
LE		SC. 4-17-57	
TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED
NATURAL, SEE NOTE			
FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	
			PX-362 A