

TMC SPECIFICATION

NO. S-1018


REV:

Ø A

COMPILED: RRH

CHECKED:

APPD:



SHEET 1 OF 3

TITLE:

typed by vab

10-1-65

TEST PROCEDURE

FOR THE

RRCA-1

TMC SPECIFICATION

NO. S-1018

REV: A

COMPILED: RRH

CHECKED:

APPD:

SHEET

2 OF 3

TITLE: TEST PROCEDURE FOR THE RRCA-1

typed by vab

10-1-65

A. RRCA-1 consists of two double-pole-double-throw switches, mounted on a panel, with connections brought out to a terminal strip. Reference CK-1022.

B. MECHANICAL

1. Inspect for defects in panel marking and finish.
2. Inspect for proper installation of switches, terminal strip and cable harness.

C. ELECTRICAL

Use a buzzer set or ohmmeter to check continuity between following terminals on TB4001:

1. With S4001 in "REC 1" position:
 - a. Terminal 1 to Terminal 5
 - b. Terminal 2 to Terminal 6
2. With S4001 in "REC" position
 - a. Terminal 1 to Terminal 8
 - b. Terminal 2 to Terminal 7
3. With S4002 in "LINE 1" position
 - a. Terminal 3 to Terminal 9
 - b. Terminal 4 to Terminal 10
4. With S-4002 in "LINE 2" position
 - a. Terminal 3 to Terminal 12
 - b. Terminal 4 to Terminal 11

TMC SPECIFICATION

NO. S 1018

REV:

Ø A

COMPILED: rrh

CHECKED:

APPD:

SHEET 3 OF 3

TITLE: TEST PROCEDURE FOR THE RRCA-1

typed by vab 10-1-65

THE TECHNICAL MATERIEL CORPORATION

MAMARONECK, NEW YORK

RRCA-1 TEST DATA SHEET

SERIAL NO. _____

MFG. NO. _____

B. Mechanical Inspection

_____ OK

C. Electrical Inspection

C1a _____

C3a _____

C1b _____

C3b _____

C2a _____

C4a _____

C2b _____

C4b _____

DATE

TESTER

