



## SALES SERVICE BULLETIN NUMBER 165A

Take-Up Reel Assembly, Model CK-2



The TMC TAKE-UP REEL ASSEMBLY, MODEL CK-2 is universally used in torn tape relay center installations for the winding and storing of tape from teletype-writers, reperforators, perforators, typing reperforators, etc., and may also be used with automatic numbering systems. The design of the unit features a stall torque motor, which means that the motor will not stall under any variation of load as long as the unit is powered. The CK-2 may be either table or cabinet mounted, and can accommodate a 3/8", 9/16", and 11/16" tape width. Special widths can be supplied on request.

The reels are supplied ready for use with an 11/16" tape width, and may be adapted for 9/16" tape by removing Shim, PM-246, and for 3/8" tape by removing both Shims, PM-246 and PM-178.



Installation of Shims for use with 11/16", 9/16" or 3/8" tapes, TMC Model CK-2, Tape Take-Up Assembly.

TECHNICAL SPECIFICATIONS:

INPUT POWER: 115V, 50/60 cps.  
FINISH: Black Wrinkle.  
MOTOR: STALL TORQUE, 2400 RPM at full load.  
CONTROL: Power ON/OFF Switch.  
SIZE: 8-1/2'' high x 11'' wide x 6'' deep.  
(without reel).


SHIPPING DATA.

WEIGHT  
NET GROSS  
5-3/4 lbs. 8 lbs.  
22 lbs.\*  
29 lbs.#

DIMENSIONS  
Carton-16'' x 13'' x 13''  
\*Domestic-18'' x 14'' x 13-1/2''  
#Export- 21'' x 17'' x 16-1/2''

REPLACEMENT PARTS LIST

ITEM	DESCRIPTION
A-1306	TAKE-UP MOTOR ASSEMBLY, consists of:
	A-268, GEAR ASSEMBLY with reel shaft
	A-272, LOCK PIN ASSEMBLY
	MO-120, MOTOR
	CS-110, PEDESTAL
	ST26K, SWITCH, TOGGLE
	CA-138, CORD, POWER
A-270	SNUBBER ARM, with snubbers.




PH-175

# THE TECHNICAL MATERIEL CORPORATION

700 FENIMORE ROAD

MAMARONECK, NEW YORK

CABLE  
TEPEI  
MAMARONECK, N.Y.



COMMUNICATION ENGINEERS

IN CANADA:  
TMC (CANADA) LTD.  
OTTAWA, ONTARIO