



BILL OF MATERIALS	
NO.	DESCRIPTION
26	GROUND ROD 3/4" X 6' HUBBARD 9446
25	TERMINATING RESISTOR TER 3500 (SHELTER 4)
25	TERMINATING RESISTOR TER 500 (SHELTER 1)
24	ANTENNA COUPLER TRC 5K (SHELTER 4)
24	ANTENNA COUPLER TRC 3500 (SHELTER 1)
23	HINGED BASE PLATE REF. (TMC DWG SY-1300)
22	60' GUYS WITH SNUBITS AND SHACKLES REF. (GARLET DWG SCD66489)
21	70' GUYS WITH SNUBITS AND SHACKLES REF. (GARLET DWG SCD66192)
20	PIPE, STD 2" X 6' LONG, GALVANIZED
19	GROUND ROD 1/2" X 6'
18	ANCHOR ROD REF. (TMC DWG SY-1296)
17	GUY ATTACHMENT 3/16" X 6" LONG, ONE END PREFAB TO EYE OF EYEBOLT, 1/2" X 3/4" LONG
16	EYE NUTS, 1/2"
15	GROUND CLAMP, HUBBARD 9593
14	GUY PLATE REF. (TMC DWG SY-1299)
13	SERVING WIRE, NO. 14 STAINLESS STEEL (ANNEALED)
12	SPREADER INSULATOR 3/4" X 8"
11	10 AWG COPPERWELD WIRE
10	SPLIT-BOLT CONNECTOR (INCLUDE TWO SPARES)
9	STRAIN INSULATORS, 12" (INCLUDE ONE SPARE)
8	INSULATOR SHACKLE
7	HOISTING CABLE, 3/16" WIRE ROPE X 100' LONG, PREFAB ONE END WITH 1/4" HEAVY THIMBLE
5	THIMBLE FOR TOWER ATTACHMENT, 3/16"
3	COTTER PINS
2	10' LENGTHS CHANNEL MASTER TOWER SECTION

A-25-1234-68

ISSUE	ZONE	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.

TOLERANCES: SCALE: 1/2" = 1'-0"

DEC. DIM. ±
FRAC. DIM. ±
ANGULAR DIM. ±

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.

REQ. PER UNIT	MODEL	SECTION	ASSY. NO.	DATE	FINISH & SPEC. NO.

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL

T.M.C. SYSTEMS, INC.
ALEXANDRIA, VIRGINIA

SLOPING V ANTENNA ASSEMBLY

AN/TRT-12(V), AN/TRR-16(V), OA-3773
TSC-24(V), AN-TRT-13(V)

E. Franpton
DRAWN
ELEC. DES. APP. MECH. DES. APP.

2-28-62

CHECKED
FINAL APPROVAL
A-25-1234-68