


REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
X		EXP. RELEASE	2/13/69		KH	
Ø		ORIGINAL RELEASE FOR PROD	8/2/69		KH	
A		REPOSITIONED DIODE SYM. FROM C23 TO C22	11/1/70	20062	RZ	W



**ASSEMBLY NOTES**

1. TO MOUNT COMPONENTS, INSERT LEADS THROUGH PLATED THRU-HOLES.
2. CAUTION, WHEN APPLYING HEAT AND SOLDER TO LEAD AND FOIL.
3. CLEAN AND INSPECT AS PER SPEC. S 676.
4. FOR ELECTRICAL COMPONENT PART NUMBERS REFER TO NPL A4627
5. USE SYMBOL NUMBERS FOR ASSEMBLY REFERENCE.

64 Fig 5-52  
63 Fig 5-53

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X	7	BS 100	SOLDER, TIN ALLOY	
3	6	NTH 0440 BN 6	NUT, PLAIN HEXAGONAL	
3	5	LWEO4 MRN	WASHER, LOCK EXTERNAL	
3	4	FW 04 HBN	WASHER, FLAT	
3	3	SCPP0440 BN 4	SCREW, MACHINE	
1	2	MS 5333	STIFFENER, PRINTED CIRCUIT BD.	
1	1	PC 398	PRINTED CIRCUIT BOARD	

FINAL APPROVAL		DATE	LIST OF MATERIAL	
POSE		9/2/69	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
MECH. DES.			ASSY. PRINTED CIRCUIT BD. POWER SUPPLY	
ELECT. DES.			SIZE CODE IDENT. NO. DWG NO. ISSUE	
CHECKED		8/2/69	D 82679 A4627 A	
DRAWN		2/13/69	SCALE 2:1 SHEET OF	

1	MSAR - 4	BMA 309
QTY / UNIT	MODEL USED ON	ASS'Y NO.
APPLICATION		
CODE		
MATERIAL		
FINISH		
<small>NOTICE TO PERSONS RECEIVING THIS DRAWING</small> <small>THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.</small>		