
REVISIONS E.M.N.NO DRAFT CHKD ZONE LTR DESCRIPTION DATE APPROVED A REDRAWN WITH CHANGES

B ADDED C 28 1/16/10 POSE 10/20/70 8.8 b.



## ASSEMBLY NOTES

- 1. TO MOUNT COMPONENTS, INSERT LEADS THROUGH PLATED THRU - HOLES.
- 2. CALITION WHEN APPLYING HEAT AND SOLDER TO LEAD AND FOIL
- 3. CLEAN AND INSPECT AS PER SPEC. S 676
- 4. FOR ELECTRICAL COMPONENT PART NUMBERS REFER TO NPL A 4676.
- 5. USE SYMBOL NUMBERS FOR ASSEMBLY REFERENCE.

					THE RESERVE THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO I
		X	2	BS 100	SOLDER TIN ALLOY
		1	1	PC 437	PRINTED CIRCUIT BOARD
		QTY. REQ.	ITEM	PART NO.	DESCRIPTION SYMBOL
					LIST OF MATERIAL
0	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	MECH. DES. DATE			THE TECHNICAL MATERIEL CORP.  MAMARONECK, NEW YORK
	TOLERANCES ON  DECIMALS FRACTIONS  .X ± .05 ± 1/64	CHECK		DATE	ASSY PRINTED CIRCUIT BD
	.XX ± .01 ANGLES .XXX ± .005 ± 0° -30'	DRAWN	Ly	1-19-70 ifine 1/16/20	RF TUNER BAND 4
	MATERIAL		U		SIZE CODE IDENT NO. DWG NO. ISSUE
	FINISH				C 82679 A 4676 B
					SCALE 2:/ SHEET OF
		2			1

HFRR - 4 BMA 298 QTY / UNIT MODEL USED ON ASS'Y NO. APPLICATION NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon.

This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

BRUNING 40-22

4 4676