


REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
	Ø	ORIGINAL RELEASE FOR PRODUCTION	8/27/73		Q	



ASSEMBLY NOTES

1. TO MOUNT COMPONENTS INSERT LEADS THROUGH HOLES.
2. CAUTION, WHEN APPLYING HEAT & SOLDER TO LEAD & FOIL.
3. CLEAN & INSPECT AS PER SPEC S676.
4. FOR ELECTRICAL COMPONENT PART NUMBERS REFER TO NPL A 4967
5. USE SYMBOL NUMBERS FOR ASSEMBLY REFERENCE.

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
x	4	PX100	INSULATION SLVG.	
x	3	WL100	WIRE, BUSS	
x	2	BS100	SOLDER TIN ALLOY	
1	1	PC 693	PRINTED CIRCUIT BD.	

F. BUDETTI LIST OF MATERIAL			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		FINAL APPROVAL F. BUDETTI DATE 8/27/73	<b>THE TECHNICAL MATERIEL CORP.</b> MAMARONECK, NEW YORK  ASSY PRINTED CIRCUIT BD.  SENSING CIRCUIT (C)
TOLERANCES ON		MECH. DES. DATE 8-27-73	
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005		ELECT. DES. DATE	
FRACTIONS ± 1/64 ANGLES ± 0° -30'		CHECKED DATE 8-27-73	
MATERIAL		DRAWN DATE 8/14/73	SIZE CODE IDENT.NO. DWG NO. ISSUE C 82679 A4967 Ø
FINISH			SCALE 2:1 SHEET OF

QTY / UNIT	MODEL USED ON	ASS'Y NO.
1	ATSA-3	
APPLICATION		
CODE		
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		