


REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
	1	C4 & C11 DELETED	3-26-77		G-DL	



1

ASSEMBLY NOTES

1. TO MOUNT COMPONENTS INSERT LEADS THROUGH HOLES.
2. CAUTION, WHEN APPLYING HEAT & SOLDER TO LEAD & FOIL.
3. CLEAN & INSPECT AS PER SPEC S676.
4. FOR ELECTRICAL COMPONENT PART NUMBERS REFER TO NPL A4979
5. USE SYMBOL NUMBERS FOR ASSY. REF.

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
X	2	BS 100	SOLDER TIN ALLOY	
1	1	PC 703	PRINTED CIRCUIT BD	

LIST OF MATERIAL

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES		FINAL APPROVAL	DATE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
TOLERANCES ON		MECH. DES.	DATE		
DECIMALS	FRACTIONS	ELECT. DES.	DATE		
.X ± .05	± 1/64	CHECKED	DATE		
.XX ± .01	ANGLES	DRAWN	DATE	<i>ASSY. PRINTED CIRCUIT BD.</i> <i>SAMPLE IF MIXER</i>	
.XXX ± .005	± 0° -30'	QE	2/5/74		
MATERIAL		SIZE	CODE IDENT. NO.	DWG NO.	ISSUE
FINISH		C	82679	A4979	X1
SCALE 2:1			SHEET		OF

1	BMA 516	
QTY / UNIT	MODEL USED ON	ASS'Y NO.
APPLICATION		
	CODE	

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.