


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES



A-551 B

1/4 (.250) D - 6 HOLES

NICK 2 CORNERS 1/16 AS SHOWN.

BLANK SIZE
17 x 6 7/32

B	1	S404-IRIDITE WAS S101 CAUSTIC DIP	12-9-59	1001	P	EMN	
A	1	COMPLETE REVISION	1/15/54	1	EMN	EMN	
ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
		TOLERANCES		SCALE: FULL			
ALL OTHERS		DEC. DIM. ± 1/64 FRAC. DIM. ± 1/64 ANGULAR DIM. ±		DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.			

RSC-2(A,B,C,D,E)	170		
MODEL	PROJECT NO.	ASS'Y. NO.	DATE
USED ON			

6	3	FS-109-3	RING, RETAINING
6	2	FS-110-1	STUD, FASTENER
1	1	MS-403	BOTTOM COVER (NO DW'G.)
REQ.	ITEM	PART NO.	DESCRIPTION
		.051	STOCK SIZE
		ALUMINUM	MATERIAL
		525-H32	WEIGHT PER PC.
			TYPE & TEMPER
			HEAT TREAT. SPEC.
		S404 YEL-IRIDITE	FINISH & SPEC. NO.
			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK
			BOTTOM COVER ASSY.
			RSC-2
		CDD 11/15/54	DRAWN
			ELEC. DES. APP.
			MECH. DES. APP.
		11/15/54	CHECKED
			FINAL APPROVAL
		SUPERCEDES RSC-1	
		A-551	B