


AR-104



NOTE: PHISICAL APPEARANCE OF RELAY WILL VARY DEPENDING ON VENDORS CONFIGURATION IN ALL CASE'S ASSY WILL BE ELECTRICALLY & MECHANICALY INTERCHANGEABLE

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
B		NOTE ADD	10-15-85				
A	1	CLERICAL CHANGE	9.2.64	+	WB	@	QZ

TOLERANCES: DEC. DIM. ±, FRAC. DIM. ±, ANGULAR DIM. ±

SCALE: _____

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

REQ. PER UNIT	MODEL	PROJECT NO.	ASS'Y. NO.	DATE
1	GPT-10K	AR-161	A-1703	8-24-64

USED ON _____

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
		DIODE PROTECT RELAY ASS'Y.	
		MATERIAL	
		TYPE & TEMPER	
		HEAT TREAT. SPEC.	
		FINISH & SPEC. NO.	
		ELEC. DES. APP.	
		MECH. DES. APP.	
			AR-104 B

Handwritten signatures: AVC (DRAWN), fhd (CHECKED), ANB (FINAL APPROVAL)