


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.
 MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

Property of:
 THE TECHNICAL MATERIEL CORPORATION
 MAMARONECK, NEW YORK

CA-122-1 CA-122-2 CA-122-5
 SEE DWG. A-608 FOR CONNECTIONS



THIS DRAWING SHOWS ONLY THAT HARDWARE & THOSE COMPONENTS NECESSARY FOR JUMPER CONNECTIONS.

CHASSIS LIPS HAVE BEEN OMITTED FOR CLARITY.

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
X 22	PX-104-RW-022	INSULATION, SLEEVING (PINK)	
X 21	WL-100-8	WIRE, BUSS BAR 24 GA.	
X 20	BS-100	SOLDER, SOFT (CONNECTIONS)	
3" 19	PX-104-1-208	INSULATION, SLEEVING (BLK.)	
18		DELETED	
X 17	MWC22(7)U6	CABLE, INSULATED (BLUE)	
X 16	3	" " " (OR.)	
X 15	92	" " " (WH/RED)	
X 14	1	" " " (BRN)	
X 13	MWC22(7)U0	CABLE, INSULATED (BLK.)	
X 12	PX-104-6-022	INSULATION, SLEEVING (BLUE)	
X 11	PX-104-4-022	" " " (GRN)	
X 10	PX-104-3-022	" " " (RED)	
X 9	PX-104-2-022	" " " (YEL.)	
X 8	PX-104-1-022	INSULATION, SLEEVING (BLK.)	
X 7	WL-100-7	WIRE, BUSS BAR 22 GA.	
1 6	CA-122-5	CABLE, RF	
1 5	CA-122-4	" " "	
1 4	CA-122-3	" " "	
1 3	CA-122-2	" " "	
1 2	CA-122-1	CABLE, RF	
1 1	SW-106	SWITCH, ROTARY	

REG. PER. UNIT	MODEL	PROJECT NO.	ASSY. NO.	DATE
1	VOX-345			6-25-62

TOLERANCES		SCALE:
ALL	DEC. DIM. ±	DRILL, PUNCH, COMMERCIAL STOCK
OTHERS	FRAC. DIM. ±	SIZES AND MANUFACTURERS
	ANGULAR DIM. ±	TOLERANCES ARE NOT INCLUDED.

AX-345 F