


REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
	X	EXP. RELEASE	12/6/68		K.H.	

CA 1478 WIRING HARNESS BRANCHED RTTD-4 SHEET 2 of 2

CA 1478 WIRING HARNESS BRANCHED RTTD-4 SHEET 1 of 2


REQ	ITEM	PART NUMBER	BREAKOUT		DESTINATION OR DESCRIPTION	
			FROM	TO	FROM	TO
1	LWC24 (7) U0		9-6	6-6	A4485 TERM 14	S1-W7 LUG 6 FC
2	LWC24 (7) U90		9-1	6-6	A4485 TERM 1	S1-W7 LUG 6
3	DELETED					
4	DELETED					
5	LWC24 (7) U6		9-1	8-1	A4485 TERM 3	J4-p
6	DELETED					
7	LWC24 (7) U90		9-9	3-6	A4485 TERM 21	S1-W3 LUG 6 FC
8	1		8-1	3-1	J4-n	1
9	2		8-1	3-2		2
10	3		8-1	3-3		3
11	4		8-1	3-4		4
12	5		8-1	3-5		5
13	6		8-1	3-6		6
14	7		8-1	3-7		7
15	8		8-2	3-8		8
16	9		8-2	3-9		9
17	90		8-2	3-10		10
18	91		8-2	3-11		11
19	92		8-2	3-12		12
20	93		8-2	3-13		13
21	94		8-2	3-14		14
22	LWC24 (7) U95		8-2	3-15	J4-v	15
23	LWC26 (7) U2		9-1	2-6	A4485 TERM 6	S1-W3 LUG 6 FC
24	1		8-2	2-1	J4-w	1
25	2		8-2	2-2		2
26	3		8-3	2-3		3
27	4		8-3	2-4		4
28	5		8-3	2-5		5
29	6		8-3	2-6		6
30	7		8-3	2-7		7
31	8		8-3	2-8		8
32	9		8-3	2-9		9
33	90		8-3	2-10		10
34	91		8-3	2-11		11
35	92		8-3	2-12		12
36	93		8-4	2-13		13
37	94		8-4	2-14		14
38	95		8-4	2-15	J4-h	15
39	1		9-2	1-12	A4485 TERM 2	S1-W2 LUG 15
40	2		9-2	1-13		12 F
41	3		9-3	1-14		13 F
42	4		9-3	1-15		14 F
43	5		9-4	1-16		15 F
44	6		9-4	1-17		16 F
45	7		9-5	1-18		17 F
46	8		9-5	1-11		18 F
47	9		9-6	1-12		1
48	90		9-7	1-8		2
49	91		9-7	1-9		8 R
50	LWC26 (7) U92		9-8	1-10	A4485 TERM 19	S1-W1 LUG 10 R



UNLESS OTHERWISE SPECIFIED WIRES SHOULD BE PLACED IN CABLE IN NUMERICAL SEQUENCE AS THEY APPEAR IN ITEM COLUMN BY CATEGORY.

- ALL R. F. CABLES
- ALL SHIELDED CABLES
- ALL OTHERS

SPACE LACING APPROXIMATELY 3/4" APART.



THIS SYMBOL DENOTES END OF INSULATION AND NAIL DRIVING POINT. WIRE MUST BE STRIPPED 3/4" BEYOND THIS POINT AND TINNED 1/2" UNLESS OTHERWISE SPECIFIED.

CABLE LACED UNLESS SPECIFIED

- SYMBOL DENOTES
- = DETAILED BREAKOUT LOCATIONS
 - = BREAKOUTS
 - = ITEM NO'S
 - = CONNECTOR PIN NO'S

RTTD-4		
QTY / UNIT	MODEL USED ON	ASS'Y NO.
APPLICATION		
CODE		
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES ON

DECIMALS	FRACTIONS
.X ± .05	± 1/64
.XX ± .01	ANGLES
.XXX ± .005	± 0° -30'

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
S. De MARCO LIST OF MATERIAL				
FINAL APPROVAL <i>S. De Marco</i> DATE 2-3-69			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
MECH. DES.			WIRING HARNESS, BRCHD. (LEDEX, 18 POSITIONS)	
ELECT. DES.			WIRING HARNESS, BRCHD. (LEDEX, 18 POSITIONS)	
CHECKED <i>[Signature]</i> DATE 12/6/68			WIRING HARNESS, BRCHD. (LEDEX, 18 POSITIONS)	
DRAWN <i>KH, CO</i> DATE 12/6/68			WIRING HARNESS, BRCHD. (LEDEX, 18 POSITIONS)	
MATERIAL			SIZE	CODE IDENT. NO. DWG. NO. ISSUE
FINISH			C	82679 CA 1478
SCALE			SHEET OF	