


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.
 MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION REMOVE ALL BURRS AND SHARP EDGES



FOR 230V OPERATION
 REMOVE JUMPERS
 BETWEEN 2-4 & 3-5
 ADD JUMPER BETWEEN 3-4

NOTES:
 UNLESS OTHERWISE SPECIFIED
 1- ALL CAPACITORS ARE IN MICROFARADS.
 2- ALL RESISTORS ARE IN OHMS, 1 WATT.

- LAST SYM. NOS. USED
- C 118
 - CR 101
 - E 101
 - F 101
 - I 103
 - J 05
 - K 103
 - M 102
 - F 106
 - R 123
 - S 106
 - T 101
 - V 102
 - W 101

REV	DESCRIPTION	DATE	BY	CHKD
A	W101 & P102 WERE 2/4 COMM.	4-13-61	LAK	
B	ORIGINAL RELEASE	11-16-65		

REQ PER UNIT	MODEL	PROJECT NO	ASSY NO	DATE
	MCU-2A	ATS-2A		11-16-65
USED ON				
FINISH & SPEC. NO				

REQ. ITEM	PART NO.	DESCRIPTION
		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK
		STOCK SIZE
		MATERIAL
		WT. PER PC.
		TYPE & TEMPER.
		HEAT TREAT. SPEC.
		FINISH & SPEC. NO.

SCHEMATIC DIAGRAM
 MCU-2 / ATS-2A
 DRAWN BY: [Signature]
 CHECKED BY: [Signature]
 DATE: 11-16-65
 M/L HB

CK1063 A