



REVISIONS					DATE	APPROVED
E.M.N.O	DRAFT	CHKD	ZONE	LTR	DESCRIPTION	
				X1	ON PIN2	
				X2	NOTE * ADDED FOR R23	2-11-77



LAST SYMBOL	MISSING SYMBOL
C19	
CR9	
L3	
Q4, R24, T1	
Z12	

* FACTORY ADJUSTED VALUE OF R23

- UNLESS OTHERWISE SPECIFIED
1. ALL RESISTANCE VALUES ARE IN OHMS, 1/4W.
 2. ALL DECIMAL CAPACITANCE VALUES ARE IN MICROFARADS.
 3. ALL WHOLE NUMBER VALUES ARE IN PICO FARADS.
 4. ALL INDUCTANCE VALUES ARE IN MICROHENRIES.

QTY / UNIT	MODEL USED ON	ASS'Y NO.
1	KIT 416	A5633
1	GPR-110-A	A5633

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES ON
 DECIMALS .X ± .05
 .XX ± .01
 .XXX ± .005

FRACTIONS ± 1/64
 ANGLES ± 0° -30'

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
LIST OF MATERIAL				
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
DIAGRAM, SCHEMATIC MEMORY				
FINAL APPROVAL		DATE		ISSUE
MECH. DES.		DATE		
ELECT. DES.		DATE		
CHECKED		DATE		
DRAWN		DATE		SCALE
G.D. LUCIA		4-2-76		
MATERIAL		SIZE CODE IDENT NO. DWG NO.		SHEET OF
FINISH		D 82679 CK 2122		

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown herein without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.