



REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
	Ø	ORIGINAL RELEASE FOR PRODUCTION	11/5/73		DV	

SPECIFICATIONS

CENTER FREQUENCY: 250.000KHz  
 -3.0db BW:  $f_c \pm 600\text{Hz}$  MIN.  
 -40db BW:  $f_c \pm 1800\text{Hz}$  MAX.  
 ULTIMATE STOPBAND: -40db MIN.  
 SOURCE & LOAD  $Z$ :  $500 \Omega \pm 5\%$   
 INSERTION LOSS: 4.0db MIN. -6.0db MAX.  
 PASSBAND RIPPLE:  $\leq 3.0\text{db}$   
 OPERATING TEMP. RANGE: 0° TO 50°C



LETTERING APPROX. SIZE SHOWN BLACK GOTHIC



QTY / UNIT	MODEL USED ON	ASS'Y NO.
1	GPR 110	
APPLICATION		
	CODE	
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown herein without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES ON

DECIMALS	FRACTIONS
.X ± .05	± 1/64
.XX ± .01	ANGLES
.XXX ± .005	± 0° -30'

MATERIAL

FINISH

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
F. BUDETTI LIST OF MATERIAL				
FINAL APPROVAL	DATE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
MECH. DES.	DATE	FILTER 1.2 KHz SYM.		
ELECT. DES.	DATE			
CHECKED	DATE			
DRAWN	DATE			
SIZE			CODE IDENT. NO.	DWG NO.
C			82679	FX 305
SCALE NTS			SHEET	OF