


REVISIONS				
SYM	ZONE	DESCRIPTION	DATE	EM N NO DRAFT CHKD APPD



TECHNICAL DATA

POWER INPUT:	2000 W
VOLTAGE:	115/230 VAC
PHASE:	1 ϕ
FREQUENCY:	50 / 60 CPS
HEAT DISSIPATION:	2000 W, BTU 6800/HR.
AMBIENT TEMP RANGE:	0 TO 50 $^{\circ}$ C
INTAKE AIR:	1000 CFM
RELATIVE HUMIDITY:	0 - 90%
WEIGHT:	1162 lbs.
CENTER OF GRAVITY:	SEE SHEET 2 OF 9

NOTE

1. FOR INSTALLATION MATERIAL LIST SEE SHEET 5 OF 9
2. FOR INTERCONNECTING CABLING DIAGRAM SEE SHEETS 6, 7, 8, 9.
3. FOR PHYSICAL DIMENSIONS OF UNIT AND CRATED DATA SEE SHEET 5 OF 9

CONTRACT No. N600(63133-11-126)63002 TECHNICAL MATERIEL CORP	EXAMINED		NAVAL SHORE ELECTRONICS ENGINEERING CENTER WASHINGTON, D C			
	OFFICIAL	SIGNATURE				
DWG No. ID-326-1 <i>M. J. Hay</i> 3/2/60 APPROVED DATE	BR HEAD		RECEIVING SET, RADIO, MODEL DDR-5L			
	PROJ ENG					
SATISFACTORY TO:	DIV DIR		RW 23	CODE IDENT 82679	SIZE C	563
	PROJ DIR					
	DRAFT SEC					
	DRAWN					
	FEDERAL SUPPLY CODE 82679					
DATE:	CONTR DRAWING NO. ID-326-1		SCALE NONE			SHEET 1 OF 9