





LD10453 X1

REQ. ITEM PART NO. DESCRIPTION SYMBOL

IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED					
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES							
ISSUE	ITEM	CHANGED FROM	DATE	CN. NO.	DRAFTS	CHECKER	ENG. APP.
X		ENG RELEASE	18 NOV 71		DR		
X1		BANDWIDTH, MODE REPOSITION	18 NOV 71		CC		HES



MHz



2. ARTWORK 2:1  
 POSITIVE 1:1, NEGATIVE 1:1  
 1. MARKING PROCESS PER TMC SPEC 5727  
 NOTES:

TOLERANCES UNLESS OTHERWISE SPECIFIED	SCALE: 2/1
ALL DEC DIM = .05 OTHERS FRAC DIM = 1/64 ANGULAR DIM = 0° 30'	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS' TOLERANCES ARE NOT INCLUDED

MODEL	PROJECT NO.	ASSY. NO.	DATE
SBTR	130/71		18 NOV 71

STOCK SIZE		TMC (Canada) LIMITED OTTAWA ONTARIO	
MATERIAL		LETTERING FRONT PANEL	
TYPE & TEMPER		DRAWN: D REID ELEC. DES. APP: A. PROCTOR MECH. DES. APP:	
HEAT TREAT SPEC.		CHECKED: A. PROCTOR FINAL APPROVAL:	
FINISH & SPEC. NO.		LD10453 X1	