


REQ. PER UNIT	USED ON			LD-604
	MODEL	ASS'Y. NO.	DATE	
1	PS-5	PAL-1K	7-2-59	



INTERIOR
VIEW SHOWN


NOTE ~ ALL LETTERING 1/8
HIGH BLACK GOTHIC.

MARKING PROCESS: AS PER TMC SPECIFICATION S-727.

REF ~ TMC DWG NO. ~ MS-1776

									REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL			
												THE TECHNICAL MATERIEL CORP.				
												MAMARONECK, NEW YORK				
												LETTERING,				
												RIGHT SIDE PLATE				
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.					J.C. Biele				
TOLERANCES			SCALE: FULL (Do not scale)													
DEC. DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION: REMOVE ALL BURRS AND SHARP EDGES					TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL				
FRAC. DIM. ±															LD-604	
ANGULAR DIM. ±																
								FINISH & SPEC. NO.		ELEC. DES. APP	MECH. DES. APP					

REQ. PER. UNIT	USED ON			LD-605	A
	MODEL	ASS'Y. NO.	DATE		
1	P5-5	PAL-1K	7-2-59		



NOTE ~ ALL LETTERING 1/8 HIGH BLACK GOTHIC.
 MARKING PROCESS: AS PER TMC SPECIFICATION S-727





REF ~ TMC DWG NO. ~ MS-1779

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL	
											THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
											LETTERING, CHASSIS, CABLE JUNCTION		
A.	1	J401 WAS J402	3-28-60	1901		<i>WJ</i>	<i>Dr</i>				J.C. Biele		
TOLERANCES			SCALE: FULL (Do not scale)									<i>ARB</i>	
DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES										
								TYPE & TEMPER	HEATTREAT. SPEC.				
								FINISH & SPEC. NO.		ELEC. DES. APP	MECH. DES. APP	LD-605	A


FIGURES - 18 POINT ALTERNATE BLACK GOTHIC #2
BACKGROUND - WHITE

REQ. PER UNIT	USED ON			LD615 ϕ
	MODEL	ASS'Y. NO.	DATE	
	GPT-10K			

SPACING - DOUBLE FIGURES 1/32 APART.
SINGLE FIGURES CENTERED
ON 36° ϕ -



TOP
↑
↓
BOTTOM



REF: { CY106
LD616

LD616 FOR REF. ONLY
ENG 1-1378-1



							REQ. ITEM	PART NO.	BUDETTI	DESCRIPTION	SYMBOL	
							STOCK SIZE		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK			
							MATERIAL		MARKING, WHEEL 1 & 2 (CY 106)			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES							SCALE		G.D.L.	<i>QCS</i>	<i>M. May 8/1/62</i>	
DO NOT SCALE							TYPE & TEMPER		DRAWN	CHECKED	FINAL APPROVAL	
DECIMALS: X ± .05 XX ± .01 XXX ± .005							FRACTIONS: ± 1/64 ANGLES: ± 0° 30'		FINISH & SPEC. NO.		ELEC. DES. APP.	MECH. DES. APP.
TOLERANCES											LD615 ϕ	

FIGURES - 18 POINT ALTERNATE BLACK GOTHIC #2
BACKGROUND - WHITE -

SPACING - DOUBLE FIGURES 1/32 APART.
SINGLE FIGURES CENTERED
ON 36° d.


REQ. PER UNIT	MODEL	USED ON
1	GPT-10K	ASSY. NO.
		DATE
		8-17-65

LD616



LD 615 FOR REF. ONLY

ENG 1-1378-2



TOP
BOTTOM

REF: {
CY 106
LD 615

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
		BUDETTI	
		THE TECHNICAL MATERIEL CORP. MAMARONECK. NEW YORK	
		MARKING, WEEL 1 & 2 (CY-106)	
		G.D.L.	
		JCS	
		FINAL APPROVAL	
		LD616	
		ELEC. DES. APP. MECH. DES. APP.	
		FINISH & SPEC. NO.	
		TYPE & TEMPER	
		HEAT TREAT. SPEC.	
		DRAWN	
		CHECKED	
		MATERIAL	
		STOCK SIZE	
		SCALE	
		DATE	
		CH. NO.	
		DRAFTS	
		CHECKER	
		ENG. APP.	
		DESCRIPTION	
		ORIGINAL RELEASE FOR PRODUCTION	
		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	
		TOLERANCES	
		FRACTIONS	
		DECIMALS	
		ANGLES	

NOTES:

1. MARKING



- A. PROCESS: ENGRAVED AFTER BACKGROUND FINISH.
- B. COLOR: BLACK ON WHITE BACKGROUND.
- C. SIZE: 3/16 HIGH X .025 FACE X .007 DEEP.
- D. STYLE: GOTHIC
- E. ENGRAVING AS PER TMC SPEC 5566

2. BACKGROUND:


GLOSS WHITE EPOXY ENAMEL
(CHEMICAL COATINGS CORP.,
SUPERIOR BAKING
ENAMEL NO. 19-339
DILUTED 5:1 WITH
THINNER, SPRAYED,
BAKED 20 MIN. AT
350°F, COATED WITH
CLEAR MATT BAKING VARNISH

3. SPACING:

1/32 BETWEEN LETTERS.



QTY. PER UNIT	USED ON		
	MODEL	ASSY. NO.	DATE
			LD 617 D




REF WHEEL #3 (CY-106)

D	1	1" DIM. ADDED DIM LAYOUT DELETED	12/6/65	15303	J.V.L.	JCB	JCB	REG.	ITEM	PART NO.	DESCRIPTION	SYMBOL	
C		SPACING NOTE & DIM INFO. OBL. SPEC. REVISED 'MC' RELOC.	3-5-65	13595	J.L.	JCB	JCB				THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
B	1	REPLACED BY AC-124, AC-139, AC-138	5-10-63	8967	JCB	JCB	JCB			STOCK SIZE	LETTERING		
A	1	LD-617 WAS ENG NO. 1-1379	2-4-60		J.C.B.	JCB	JCB			MATERIAL	WHEEL #3 (CY-106)		
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.				asc	JCB	
TOLERANCES			SCALE:										
SEC. DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE F R REJECTION:										
FRAC. DIM. ±			REMOVE ALL BURRS AND SHARP EDGES										
ANGULAR DIM. ±													
							TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL		
									JCB			LD 617 D	

REQ. PER. UNIT	USED ON		
	MODEL	ASS'Y. NO.	DATE
1	XFK	MOD. KIT	10-8-59

LD-625



ALL LETTERING, GOTHIC, WHITE FILL
 SIZE APPROX. AS SHOWN
 HOLE 3/8 DIAM.

							REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL			
									.032	THE TECHNICAL MATERIEL CORP.				
									STOCK SIZE	MAMARONECK, NEW YORK				
									ALUMINUM	ENGRAVING, FUNCTION SWITCH				
									MATERIAL	ADAPTER PLATE				
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	250		108149 10-8-59				
TOLERANCES			SCALE:											
DEC. DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES											
FRAC. DIM. ±														
ANGULAR DIM. ±														
									5115 TMC GRAY					
									FINISH & SPEC. NO.	ELEC. DES. APP	MECH. DES. APP	LD-625		

REQ. PER. UNIT	USED ON			LD-643
	MODEL	ASS'Y. NO.	DATE	
1	GPT-40K		11-25-59	

NOTE :

FOR MFG + PURCHASING INFORMATION
USE MR-130 (4 SIZE)

RANGE: 300-0-300
MILLIAMPERES

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL		
											THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
										STOCK SIZE	MR-130 DIAL PLATE			
										MATERIAL	MILLIAMETER, GRID CURRENT			
		TOLERANCES	SCALE:											
		DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±	MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES											
										TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
										FINISH & SPEC. NO.	ELEC. DES. APP	MECH. DES. APP		LD-643

REQ. PER. UNIT	USED ON			LD-644
	MODEL	ASS'Y. NO.	DATE	
1	GPT-40K		11-25-59	

NOTE:

FOR MFGR. + PURCHASING INFORMATION

USE MR-134 (4 SIZE)

RANGE: 0 - 1000
-VOLTS

REF: SPEC. S467

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL	
											THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
											MR-134 DIAL PLATE		
											VOLTMETER, DC, BIAS		
TOLERANCES			SCALE:										
DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES					TYPE & TEMPER	HEATTREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
								FINISH & SPEC. NO.		ELEC. DES. APP	MECH. DES. APP	LD-644	

REQ. PER UNIT	USED ON			LD-645
	MODEL	ASS'Y. NO.	DATE	
1	GPT-40K		11-25-59	

NOTE:

FOR MFGR. + PURCHASING INFORMATION

USE MR-133 (4 SIZE)

RANGE: 0 - 20
KILOVOLTS

REF: SPEC. S-467

								REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL	
										THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
								STOCK SIZE		MR-133 DIAL PLATE			
								MATERIAL		VOLTMETER, DC, PLATE VOLTS			
ISSUE	ITEM	CHANGED FROM		DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.					
TOLERANCES				SCALE:									
DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±				MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES				TYPE & TEMPER HEAT TREAT. SPEC.		DRAWN CHECKED		FINAL APPROVAL	
								FINISH & SPEC. NO.		ELEC. DES. APP MECH. DES. APP		LD-645	

REQ. PER. UNIT	USED ON			LD-646	A
	MODEL	ASS'Y. NO.	DATE		
1	GPT-40-K		11-25-59		

NOTE: MFGR + PURCHASING INFORMATION.

USE: MR-131 (4 SIZE)

RANGE: 0-12
AC VOLTS

REF: SPEC. S-467

							REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL	
										THE TECHNICAL MATERIEL CORP.		
										MAMARONECK, NEW YORK		
										MR-131 DIAL PLATE		
										VOLTMETER, AC, RECTIFIER TYPE		
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	MATERIAL				
A	-	RANGE WAS 0-10	11-28/60									
TOLERANCES			SCALE:				TYPE & TEMPER		HEATTREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES									LD-646
							FINISH & SPEC. NO.		ELEC. DES. APP	MECH. DES. APP		A

REQ. PER. UNIT	USED ON			LD 647
	MODEL	ASS'Y. NO.	DATE	
1	GPT-40-K		11-25-59	

NOTE : MFGR. PURCHASING INFORMATION.

USE : MR-129 (4 SIZE)

RANGE : 0-10
AMPERES

REF. SPEC. S-467

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL		
											THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK MR-129 DIAL PLATE DC AMMETER R DC CURRENT			
TOLERANCES								STOCK SIZE						
DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±								MATERIAL				PI		
SCALE:								TYPE & TEMPER				DRAWN	CHECKED	FINAL APPROVAL
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES								HEAT TREAT. SPEC.					LD-647	
								FINISH & SPEC. NO.			ELEC. DES. APP	MECH. DES. APP		

REQ. PER. UNIT	USED ON			LD-648
	MODEL	ASS'Y. NO.	DATE	
1	GPT 40K		11-25-59	

NOTE : MFR. PURCHASING INFORMATION

USE : MR- 132 (4 SIZE)

RANGE : 0 - 30
KILO VOLTS TRF

REF. SPEC. S-467

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL				
			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK								
			MR-132 DIAL PLATE								
			VOLTMETER, RF PLATE RF.								
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.				
TOLERANCES			SCALE:								
DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES								
TYPE & TEMPER		HEAT TREAT. SPEC.		DRAWN		CHECKED		FINAL APPROVAL			
FINISH & SPEC. NO.		ELEC. DES. APP		MECH. DES. APP		LD-648					

REQ. PER. UNIT	USED ON			LD-649
	MODEL	ASSY. NO.	DATE	
1	PT-40K		11-25-59	

NOTE: MFRG. PURCHASING INFORMATION

Use : MR-135 (4 SIZE)

RANGE : 0-1
KILOVOLTS RF

REF: SPEC. S-467

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL		
											THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
										STOCK SIZE	MR-135 DIAL PLATE			
										MATERIAL	VOLTMETER, RF DRIVE RF			
TOLERANCES			SCALE:											
DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES											
										TYPE & TEMPER	HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
										FINISH & SPEC. NO.	ELEC. DES. APP	MECH. DES. APP		LD-649

REQ. PER. UNIT	USED ON			LD-650
	MODEL	ASS'Y. NO.	DATE	
1	GPT-40K		12-3-59	

NOTE : MFRG. PURCHASING INFORMATION


USE : MR-135 (4 SIZE)

MOVEMENT

SEE MR-136 (4)

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL		
											THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
										STOCK SIZE	MR-136 DIAL PLATE			
										MATERIAL	SWR METER			
		TOLERANCES	SCALE:											
		DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±	MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES											
										TYPE & TEMPER	HEATTREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL
										FINISH & SPEC. NO.	ELEC. DES. APP	MECH. DES. APP		LD-650

REQ. PER. UNIT	USED ON			LD-651	△
	MODEL	ASS'Y. NO.	DATE		
2	RAK-9	SBT-1K	12-16-59		




NO LONGER REQ
 USE LD-882 (RAK-11)
 FOR
 LD-887 (AX-239)
 FOR
 LD-890 (RAK9CED)

NOTE: ALL LETTERING TO BE 1/8" BLACK GOTHIC.
 MARKING PROCESS: AS PER TMC SPECIFICATION S-727

REF: MS-1927 (1)

							REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL	
									THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
							STOCK SIZE		LETTERING, CHASSIS		
							MATERIAL		ATTENUATOR		
A	1	Obs. N to Added	1-25-60	3965	RLU.	JCS	AK	IORILLO 12-16-59	Checked	Final Approval	
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	DRAWN	CHECKED	FINAL APPROVAL	
TOLERANCES			SCALE:				TYPE & TEMPER		HEATTREAT. SPEC.		
DEC. D M. ± FRAC. DIM. ± ANGULAR DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES				FINISH & SPEC. NO.		ELEC. DES. APP		MECH. DES. APP
									LD-651		△

REQ. PER. UNIT	USED ON			LD-660
	MODEL	ASS'Y. NO.	DATE	
1	RAK. 9		12-23-59	





ALL LETTERING 1/8" BLACK GOTHIC.
 MARKING PROCESS: AS PER TMC SPECIFICATION S-727.

REF. MS-1925

								REQ.	ITEM	PART NO.	DESCRIPTION			SYMBOL
											THE TECHNICAL MATERIEL CORP.			
											MAMARONECK, NEW YORK			
											LETTERING, CONNECTOR			
											JUNCTION BRACKET			
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.							
TOLERANCES			SCALE:							IORILLO	<i>[Signature]</i>	<i>[Signature]</i>		
DEC. DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES					TYPE & TEMPER		HEAT TREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL	
FRAC. DIM. ±														
ANGULAR DIM. ±							FINISH & SPEC. NO.		ELEC. DES. APP	MECH. DES. APP	LD - 660			

REQ. PER. UNIT	USED ON			LD-661
	MODEL	ASSY. NO.	DATE	
1	RAK-9	SBT-1K	12-29-59	




ALL LETTERING
 1/8 HIGH BLACK GOTHIC
 MARKING PROCESS: AS PER TMC SPECIFICATION S-727

REF: MS-1924 (1)

REQ.	ITEM	PART NO.	DESCRIPTION		SYMBOL												
			THE TECHNICAL MATERIEL CORP.														
			MAMARONECK, NEW YORK														
			LETTERING BRACKET														
			AC. SWITCH														
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.										
TOLERANCES			SCALE:														
DEC. DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES				TYPE & TEMPER	HEATTREAT. SPEC.	DRAWN	CHECKED	FINAL APPROVAL						
FRAC. DIM. ±																	
ANGULAR DIM. ±																	
							FINISH & SPEC. NO.		ELEC. DES. APP	MECH. DES. APP	LD-661						

REQ. PER UNIT	USED ON			LD-671	A
	MODEL	ASS'Y. NO.	DATE		
1	AX-212	GPT-40K	11/14/60		



MARKING PROCESS: AS PER T M C SPECIFICATION S-727.

LETTERING: 1/8 HIGH BLACK, GOTHIC
LOCATED AS SHOWN.


REF; PX-499

REQ.	ITEM	PART NO.	DESCRIPTION				SYMBOL
			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
			LETTERING, RESISTOR MTG. BOARD (CROWBAR DRAWER)				
			DRAWN: <i>Em</i> CHECKED: <i>RLN</i> FINAL APPROVAL: <i>DB</i>				
			LD-671				A

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
A	I	DIM 7/8 ADDED	2-1-62	6306	G.S.	<i>DB</i>	<i>DB</i>

TOLERANCES	SCALE:
DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±	MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES

REQ. PER UNIT	USED ON			LD-687	A
	MODEL	ASS'Y. NO.	DATE		
1	AP 104	GPT 40K	1-30-60		





ALL LETTERING 1/8 HIGH BLACK GOTHIC.
MARKING PROCESS: AS PER TMC SPECIFICATION S-727.

REF - TMC DWG NO. MS-1958 -(1)

ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.	REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL	
											THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
											LETTERING, FILTER MTC PLATE		
A	1	SEE MS-1958 FOR REVISION "A"	12-11-62	7828									
TOLERANCES			SCALE: <i>H</i>					MATERIAL		J.C. Biele		<i>J.C. Biele</i>	
DEC. DIM. ± FRAC. DIM. ± ANGULAR DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES					TYPE & TEMPER		DRAWN		FINAL APPROVAL	
								HEAT TREAT. SPEC.		CHECKED		LD-687	
								FINISH & SPEC. NO.		ELEC. DES. APP		A	

REQ. PER UNIT 1	USED ON		LD-699
	MODEL VOX 3-4	ASSY. NO.	



NOTE
ALL LETTERING
1/8 RED GOTHIC
UNLESS OTHER-
WISE SPECIFIED

MARKING PROCESS: AS PER TMC SPECIFICATION S-727,

REF: MS-2061

							REQ.	ITEM	PART NO.	DESCRIPTION			SYMBOL
							STOCK SIZE			THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
							MATERIAL			LETTERING, COVER			
										INSULATOR			
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.			DRAWN	CHECKED	FINAL APPROVAL	
TOLERANCES			SCALE:				TYPE & TEMPER		HEATTREAT. SPEC.	cy		JDe	AM
DEC. DIM. ±			MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.									LD-699	
FRAC. DIM. ±			REMOVE ALL BURRS AND SHARP EDGES				FINISH & SPEC. NO.		ELEC. DES. APP.		MECH. DES. APP.		
ANGULAR DIM. ± 1/64													