


IF IT IS FOUND DESIRABLE TO CHANGE ANY TOLERANCE OR OTHER DETAIL SPECIFIED ON THIS DRAWING NOTIFY THE PURCHASER PROMPTLY.		DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED					
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES.							
ISSUE	ITEM	CHANGED FROM	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
X		ENG RELEASE	21 SEPT 71		NAT.	LB	JM
X1		2 A HOLES ADDED DIM. 1.146 WAS TO 3RD CONNECTOR HOLE.	15 DEC 71		NAT.	LB	JM
X2		LD & NOTE 4 ADDED	17 APR 72		NAT.	LB	JM
X3		DIM. .716 WAS .616	2 JUN 72		NAT.	AK	HCS
X4		NOTE 4 DELETED LETTERING DELETED	20 JUN 72		NAT.	LB	HCS

REQ	ITEM	PART NO.	DESCRIPTION	SYMBOL
2	1	CU157-2	RETAINER, P.C. CARD	
4	2	RI10005	RIVET, SOLID, .0625 DIA	C



MS11353 X4

HOLE	DESCRIPTION	QTY
A	.140 DIA	4
B	.171 DIA	4
C	.067 DIA $\begin{matrix} +.003 \\ -.001 \end{matrix}$	4

4. HOLE DATA TABLE IS TO BE HAND-LETTERED PER TMC SPEC 3-727.
 3. TO BE HAND-LETTERED AS PER TMC SPEC 3-727.
 3. INSTALL AFTER FINISHING.
 2. MINIMUM INSIDE BEND RADIUS, .064
 1. METAL STAMP PART NO. 1/8 HIGH, GOTHIC, IN APPROX. POSITION SHOWN ON OPPOSITE SIDE

NOTES

REF: LD 10447-5

TOLERANCES		SCALE: 1/1
ALL OTHERS	DEC. DIM. $\pm .015$ FRAC. DIM. $\pm \frac{1}{64}$ ANGULAR DIM. $\pm 0^\circ 30'$	DRILL, PUNCH, COMMERCIAL STOCK SIZES AND MANUFACTURERS TOLERANCES ARE NOT INCLUDED.

MMX(M) 3	130/71	A11007	
MMX(A) 3	130/71	A11007	SEPT 7, 71
MODEL	PROJECT NO.	ASSY. NO.	DATE

.064 THK		TMC (Canada) LIMITED OTTAWA ONTARIO	
AL ALY		MOUNTING BRACKET	
MATERIAL	WEIGHT PER PC.	P.C. BOARD	
575 H32		THOMAS	H. SCHAFER
TYPE & TEMPER		DRAWN	ELEC. DES. APP.
		L. BROWN	MECH. DES. APP.
HEAT TREAT. SPEC.		CHECKED	FINAL APPROVAL
IRIDITE 5404			MS11353 X4
FINISH & SPEC. NO.			