


- A- NO. 47 DRILL (.078) D 4 REQ.
- B- 1/8 (.125) D. 6 "
- C- 1/8 (.125) D. X 1/8 DP. DRILL FROM REAR 1 "
- D- 13/64 (.203) D. 6 "
- E- 13/32 (.406) D. 1 "
- F- 4 "



**MACHINING -**  
 1- LATERAL BOW OF PANEL MUST BE KEPT TO .031 TOLERANCE.  
 2- MILL ALL EDGES.  
 3- HOLES MUST BE DRILLED.  
 4- PANEL MUST BE FREE OF ALL MACHINING MARKS GOUGES & SCRATCHES.  
 IF NECESSARY SAND FRONT OF PANEL WITH NO. 120 GRIT SAND.

**FINISH-**  
 S-404 YELLOW IRIDITE  
 S114 ZINC CHROMATE PRIMER } FRONT &  
 S115 TMC SMOOTH GREY ENAMEL } EDGES ONLY

**NOTICE TO PERSONS RECEIVING THIS DRAWING**  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown herein without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.  
 Property of:  
 THE TECHNICAL MATERIEL CORPORATION  
 MAMARONECK, NEW YORK

ISSUE ZONE	DESCRIPTION	DATE	CH. NO.	DRAFTS	CHECKER	ENG. APP.
A	D6 6-7/8 Dim. Was 6 27/32; 5 11/32 Dim. Was 5 7/16	12-6-61	5989	I. H.	[Signature]	[Signature]
TOLERANCES						
SCALE: FULL						
DEC. DIM. ± 1/32 FRAC. DIM. ± 1/64 ANGULAR DIM. ±						
MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS AND SHARP EDGES						

REQ. PER UNIT	MODEL	SECTION	ABBY. NO.	DATE
1	SWR-1K			5-25-60
USED ON				

REQ. ITEM	PART NO.	DESCRIPTION	SYMBOL
3/16		THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
STOCK SIZE		MACHINING, FRONT PANEL	
MATERIAL			
2024-T3			
TYPE & TEMPER			
HEAT TREAT. SPEC.			
SEE NOTE			
FINISH & SPEC. NO.			
DRAWN		ELEC. DES. APP.	MECH. DES. APP.
CHECKED		FINAL APPROVAL	
		MS-2283	

MS-2283