


CAPTIVE SCREW AND NUT DETAIL (9 REQ.)

HOLE:
 A - .203 DIA. 9 HOLES, FOR CAPTIVE SCREW
 B - 3/16 DIA 15 REQ.



*MS 2748-2 AS SHOWN
 MS 2748-3 DELETE BOTH CUT OUTS & HOLE B*

FINISH NOTE:
 S404 IRIDITE
 S114 ZINC CHROMATE
 S520 BLUE-GRAY TEXT PAINT

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.
 Property of:
 THE TECHNICAL MATERIEL CORPORATION
 MAMARONECK, NEW YORK

UNLESS OTHERWISE SPECIFIED		DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	
DECIMALS	FRACTIONS	TOLERANCES	ANGLES
.001	1/64	.001	1/2
.005	1/32	.005	1/2
.010	1/16	.010	1/2
.020	1/8	.020	1/2
.050	3/16	.050	1/2
.100	1/4	.100	1/2
.150	5/16	.150	1/2
.200	3/8	.200	1/2
.300	1/2	.300	1/2
.500	3/4	.500	1/2
1.000	1	1.000	1/2

SCALE 4" = 1'-0"

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION. REMOVE ALL BURRS & SHARP EDGES

REQ. PER UNIT	MODEL	SECTION	ASSY. NO.	DATE	TYPE & TEMPER	HEAT TREAT. SPEC.	FINISH & SPEC. NO.	ELEC. DES. APP.	MECH. DES. APP.	SHEET	OF
1	GPT-40	KIT 364								MS-2748	D
1	GPT-10	KIT 361								2	OF 2

THE TECHNICAL MATERIEL CORP.
 MAMARONECK, NEW YORK
PANEL REAR
POWER SUPPLY, MAIN FRAME

DRAWN: [Signature]
 CHECKED: [Signature]
 FINAL APPROVAL: [Signature]

MS-2748 D