


REVISIONS							
ZONE	SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD	APPD
	X1	ITEM 1 P.T. NO. WAS FS-100-1; ADDED -3 TO ITEM 2.	2/4/64	1	JL		
	Ø	ORIGINAL RELEASE FOR PRODUCTION	10-29-64	Ø	J.L.		



MS-3655
 METAL STAMP TMC PART NO.
 1/8 HIGH GOTHIC.
 WITH LATEST REV. LETTER

- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
 2. ALL ANGULAR BENDS 90°.
 3. REMOVE ALL BURRS AND SHARP EDGES.
 4. MOUNT ITEMS 1 & 2 AFTER FINISHING.

NOTES

1	BPS()-1	
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
SCALE	CODE	
1:2		
THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.		

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
6	2	FS-109-3	RING, STUD, RETAINING	
6	1	FS-110-1	STUD, TURN LOCK	

M. GELLMAN LIST OF MATERIAL

MATERIAL	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
.051 THK ALUMINUM 5052-H32 (PERFORATED)	TITLE COVER, TOP		
FINISH YELLOW IRIDITE PER TMC SPEC. S-404	DRAWN J. LESHINSKI	DATE 12/21/63	FINAL APPROVAL [Signature]
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	CHECKED A. Turai	DATE 2/7/64	
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	ELECT. DES. [Signature]
		DATE 10/29/64	MECH. DES. [Signature]
		SHEET	REV. LTR.

MS-3655
 Ø