



REVISIONS						
ZONE	SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD
	X	EXPERIMENTAL RELEASE	5/14/64	X	JL	
H5	X1	5" DIM. WAS 6"; 8" DIM. WAS 9"; T 5/8 DIM. WAS 6 5/8"; 2" DIM. WAS 2 1/8.	6/5/64	X1	JL	W.J.
D3	X2	"A" HOLE DIA WAS 1"; "C" QTY WAS 3; "D" WAS 4.	6/17/64	X2	JL	W.J.
	X3	ADDED "H" HOLES	6/29/64	X3	JL	W.J.
D7	X4	(6) "J" HOLES WERE "B"; "B" HOLE REQ'D WAS (8). "C" HOLE REQ'D WAS (4) REMOVED "D" HOLES WERE 3/16 DIA. REQ'D (3); ADDED ITEM 2; 2 5/8 DIM. WAS 3 3/16	8/31/64	X4	JL	J.M. W.J.
	Ø	ORIGINAL RELEASE FOR PRODUCTION	2-12-65	Ø	HLA	JM



HOLE LEGEND		
HOLE	DESCRIPTION	REQ'D
A	7/8 DIA	5
B	13/64 DIA	2
C	.169 DIA & C'SINK 82° X .337 DIA	7
D		
E	5/8 DIA	9
F	SEE DETAIL	4
G	.221-.224	1
H	11/64 DIA	2
J	.250-.253 DIA	6



- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
  2. ALL ANGULAR BENDS 90°.
  3. REMOVE ALL BURRS AND SHARP EDGES.
  4. MOUNT INSERTS AFTER FINISHING.

METAL STAMP TMC PART NO. 1/8 HIGH GOTHIC W/LATEST REVISION LETTER

1	RTTD-1	A3700
QTY./UNIT	MODEL USED ON	ASS'Y. NO.
SCALE 1:1	CODE A	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
6	2	NT 129-1032-4	NUT, PLAIN, SPLINE	F
1	1	NT 129-832-4	NUT, PLAIN, SPLINE	G

F. E. EATON LIST OF MATERIAL

MATERIAL .081THK ALUMINUM 5052-H32	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
FINISH YELLOW IRIDITE PER S404	TITLE PLATE, SIDE-LEFT	
DRAWN J. LESHINSKI	DATE 5/14/64	FINAL APPROVAL [Signature]
CHECKED [Signature]	DATE 2/9/65	
ELECT. DES. [Signature]	DATE 2/9/65	
MECH. DES. W. JORDAN	DATE 2/10/65	

DECIMALS: .X ± .05, .XX ± .01, .XXX ± .005  
FRACTIONS: ± 1/64, ANGLES: ± 0° 30'

MS3812-Ø

NOTES

MS 3812 Ø