


REVISIONS							
ZONE	SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD	APPD
	X	EXPERIMENTAL RELEASE	6/17/64	X	JL		W.D.
	X1	16 7/8 DIM. WAS 17; 4 15/16 WAS 5; 5/16 WAS 3/8 & 15 1/2 WAS 15 5/8; 8 5/64 WAS 8 1/32.	10/22/64	X1	JL	JM	W.D.
	Ø	ORIGINAL RELEASE FOR PRODUCTION	2-10-65	Ø	JL	JM	



MS 3772

METAL STAMP TMC PART NO.
1/8 HIGH GOTHIC, WITH
LATEST REVISION LETTER

- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
 2. ALL ANGULAR BENDS 90°.
 3. REMOVE ALL BURRS AND SHARP EDGES.
 4. MOUNT ITEMS 1&2 AFTER FINISHING.

NOTES

1	RTTD-1	A4112
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
SCALE 1:2	CODE A	

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
5	2	FS 109-1	RING, RETAINING	
5	1	FS 110-1	STUD, TURNLOCK	

LIST OF MATERIAL

MATERIAL .052 THK ALUMINUM 5052-H32.	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
FINISH YELLOW IRIDITE PER S404	TITLE COVER, TOP			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	DRAWN J. LESHINSKI	DATE 6/17/64	FINAL APPROVAL KDC	DATE
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES	FRACTIONS ± 1/64 ANGLES ± 0° 30'	ELECT. DES. W. JORDAN	DATE 2/18/65
			MECH. DES. W. JORDAN	DATE 2/18/65
			SHEET	REV. LTR.

MS 3872