




REVISIONS							
ZONE	SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD	APPD
	X	EXPER. RELEASE	2-26-65	X			
E4	X1	(1) "D" DETAIL DELETED	3-31-65	X1			J.P.P.
E5	X2	(4) "A" HOLES ADDED	4-13-65	X2		J.M.	J.M.
E5	X3	(2) "A" HOLES ADDED	7-23-65	X3		J.M.	J.M.
	0	ORIG RELEASE FOR PRODUCTION	5-16-67	0	RG		



HOLE	DESCRIPTION	REQ.
A	11/64 DIA	13
B	5/32 DIA	2
C	1-1/4 DIA.	1
D	SEE DETAIL	3
E	SEE DETAIL	1



UNLESS OTHERWISE SPECIFIED:

- USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
- ALL ANGULAR BENDS 90 DEGREES
- REMOVE ALL BURRS AND SHARP EDGES
- MOUNT INSERTS AFTER FINISHING

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
F. EATON LIST OF MATERIAL FORMALLY E3162B-10				
MATERIAL		.062 ALUMINUM 5052-H32		
FINISH		5404 YEL. IRIDITE		
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				TITLE
				PLATE, REAR
Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	
SCALE 1:1	CODE A		DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS TOLERANCES ± 1/64 ANGLES ± 0° 30'
DRAWN	DATE	FINAL APPROVAL	DATE	DATE
CHECKED	DATE		DATE	DATE
ELECT. DES.	DATE	MS4440		DATE
MECH. DES.	DATE	MS4440		DATE
SHEET				REV. LTR.

NOTES