


REVISIONS						
ZONE	SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD
	X	EXPERIMENTAL RELEASE	5-25-66	X		
	X1	6 HOLES ADDED	11-28-66	X1		
	Ø	ORIGINAL RELEASE FOR PRODUCTION	11-30-66	Ø		
	A	2(F) HOLES RELOCATED	12-5-67	18649	H2	FB



HOLES	DESCRIPTION	REQ
A	.161-.164	4
B	.191-.194	3
C	.221-.224	7
D	.250-.253	6
E	.344-.347	2
F	9/32 DIA.	2
G	.078 DIA.	4

UNLESS OTHERWISE SPECIFIED:

- USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
- ALL ANGULAR BENDS 90 DEGREES
- REMOVE ALL BURRS AND SHARP EDGES
- MOUNT INSERTS AFTER FINISHING

NOTES

THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.

REF: LD2094-

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
2	5	NT129-420-G	NUT, PLAIN, SPLINE	E
6	4	NT129-1032-G		D
7	3	NT129-832-G		C
3	2	NT129-632-G		B
4	1	NT129-440-G	NUT, PLAIN, SPLINE	A

F BUDETTI LIST OF MATERIAL

MATERIAL 1/8" THICK ALUMINUM 5052-H32	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK		
FINISH S404 YEL IRIDITE	TITLE CHASSIS, MAIN		
Q'TY./UNIT SCALE 1:2	MODEL USED ON CODE A	ASS'Y. NO. A5476	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES
DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	TOLERANCES		FRACTIONS ± 1/64 ANGLES ± 0° 30'
DRAWN	DATE 5-5-66	FINAL APPROVAL	DATE 11-19-66
CHECKED	DATE 11-19-66	MS4937	
ELECT. DES.	DATE	SHEET	REV. LTR. A
MECH. DES.	DATE	11/21/66	

MS4937  
A