


HOLES	REQ.
A- 11/64 DIA.	21
B- 13/64 DIA.	4
C- 1 1/4 DIA.	4

REVISIONS						
SYM	ZONE	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD
X		EXPEDIMENTAL RELEASE	9-19-66	-VMA	Jc	
Ø		ORIGINAL RELEASE FOR PRODUCTION	4-4-67		RG	



MARK TMC PART NO. 1/8 HIGH GOTHIC W/LATEST REV. LETTER.

REF TMC DWG. LD2171

UNLESS OTHERWISE SPECIFIED:
 1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
 2. ALL ANGULAR BENDS 90 DEGREES
 3. REMOVE ALL BURRS AND SHARP EDGES

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.

QTY REQ	ITEM	PART NO.	DESCRIPTION	SYMBOL
EATON BILL OF MATERIAL				
THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK				
CHASSIS, COMPONENT MTG. MODEL AX658				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON FRACTIONS DECIMALS ANGLES ±1/64 ±.005 ±1/2°		FINAL APPROVAL <i>H. E. Eaton</i> MECH. DES. DATE 11/67	CODE 82679	
MATERIAL .064 THICK ALUMINUM, 5052-H32	CHECKED <i>Jc</i>	ELECT. DES. DATE	SIZE C	DWG. NO. MS5093
FINISH S404-IRIDITE	DRAWN Jc	APPROVED FOR	ISSUE Ø	
CONTRACT NO.		SCALE		SHEET OF