



REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
	X	EXP. RELEASE	9-28-67		H.G.	<i>[Signature]</i>
	Ø	ORIGINAL RELEASE FOR PRODUCTION	4-2-68	Ø	H.G.	<i>[Signature]</i>

MARK TMC P/N 1/8 HIGH
GOTHIC W/LATEST REV.
LETTER.

OPP. SIDE IDENT



HOLE	DESCRIPTION	REQ'D
A	.344-.347 DIA	4
B	.250-.253 DIA	10
C	15/64 DIA	6

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
10	2	NT 129-1032-6	NUT, PLAIN, SPLINE	B
4	1	NT 129-420-6	NUT, PLAIN, SPLINE	A

F. BUDETTI LIST OF MATERIAL

FINAL APPROVAL *[Signature]* DATE 4-3-68
 MECH./DES. *[Signature]* DATE 4-2-68
 ELECT. DES. DATE
 CHECKED *[Signature]* DATE 4-2-68
 DRAWN H.G. DATE 9/28/67

THE TECHNICAL MATERIEL CORP.
MAMARONECK, NEW YORK

FRAME, MTG BLOWER

SIZE	CODE IDENT. NO.	DWG NO.	ISSUE
C	82679	MS 5179	Ø

SCALE 1:2 SHEET OF

UNLESS OTHERWISE SPECIFIED:

- USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
- ALL ANGULAR BENDS 90 DEGREES
- REMOVE ALL BURRS AND SHARP EDGES
- MOUNT INSERTS AFTER FINISHING

QTY / UNIT	MODEL USED ON	ASS'Y NO.
1	BCT-10KA	

APPLICATION

CODE	S401-451
A	

NOTICE TO PERSONS RECEIVING THIS DRAWING

THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES ON

DECIMALS	FRACTIONS
.X ± .05	± 1/64
.XX ± .01	ANGLES
.XXX ± .005	± 0° -30'

MATERIAL 1/8 THK ALUMINUM 5052-H32

FINISH S404 YEL YEL IRIDITE