


REVISIONS							
E.M.N.NO	DRAFT	CHKD	ZONE	LTR	DESCRIPTION	DATE	APPROVED
	(1)			(1)	ORIGINAL RELEASE FOR PRODUCTION	10/15/70	
20200	74	(1)	D4	A	CHG. DIM. TO 7/8 & 3/4 IN ZONE 2 & 4	1-20-71	PEY



- A ~ .344-.347 DIA. 4 REQ.
- B ~ .250-.254 DIA. 11 REQ.
- C ~ 1/4 DIA. 6 REQ.

MARK TMC PART NUMBER  
1/8 HIGH GOTHIC WITH LATEST  
REVISION LETTER

- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
  2. ALL ANGULAR BENDS 90 DEGREES.
  3. REMOVE ALL BURRS AND SHARP EDGES.
  4. MOUNT INSERTS AFTER FINISHING.

REF:LD2430

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
11	2	NT129-1032-6	NUT, PLN, SPLINE	B
4	1	NT129-2520-6	NUT, PLN, SPLINE	A

BUDETTI LIST OF MATERIAL

THE TECHNICAL MATERIEL CORP.  
MAMARONECK, NEW YORK

PLATE, P.S., REAR

FINAL APPROVAL	DATE	12 Oct 70
MECH. DES.	DATE	5 Oct 70
ELECT. DES.	DATE	
CHECKED	DATE	
DRAWN	DATE	29 SEP 70

SIZE	CODE IDENT NO.	DWG NO.	ISSUE
C	82679	MS5675	A

SCALE 1/2 SHEET OF

1	HFLM-1K	AP150
QTY / UNIT	MODEL USED ON	ASS'Y NO.
APPLICATION		
CODE		

NOTICE TO PERSONS RECEIVING THIS DRAWING  
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.

UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN INCHES  
AND INCLUDE CHEMICALLY APPLIED  
OR PLATED FINISHES

TOLERANCES ON

DECIMALS	FRACTIONS
.X ± .05	± 1/64
.XX ± .01	ANGLES
.XXX ± .005	± 0° -30'

MATERIAL .125 ALUM  
5052-H32

FINISH  
5404 VEL IR ID.