

UNLESS OTHERWISE SPECIFIED:
 1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
 2. ALL ANGULAR BENDS 90 DEGREES.
 3. REMOVE ALL BURRS AND SHARP EDGES.
 4. MOUNT INSERTS AFTER FINISHING.

NOTICE TO PERSONS RECEIVING THIS DRAWING
 THE TECHNICAL MATERIAL CORPORATION claims proprietary right in the material disclosed herein. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything without permission from THE TECHNICAL MATERIAL CORPORATION to the user. This drawing is limited for mutual assistance and is subject to recall at any time.

QTY / UNIT	1
MODEL USED ON	HFLA-1K
ASSY. NO.	AP151
APPLICATION	
CODE	

FINISH	S404 YEL 121D
MATERIAL	.064 ALUM 5052-H32
DECIMALS	X ± .05
FRACTIONS	XX ± .01
ANGLES	XXX ± .005
TOLERANCES ON OR PLATED FINISHES AND INCLUDE CHEMICALLY APPLIED DIMENSIONS ARE IN INCHES	

DATE	1/24/72	FINAL APPROVAL
DATE	1/24/72	MECH. DES.
DATE	1/24/72	ELECT. DES.
DATE		CHECKED
DATE		DRAWN
DATE		1 HRK 71

ISSUE	A
SIZE	D
CODE IDENT NO	82679
DWG NO.	MS 5952
SHEET	1

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES

QTY.	4
REQ. ITEM	NT129-0832-4
DESCRIPTION	NUT, R.N., SPRING
SYMBOL	H

QTY.	2
REQ. ITEM	NT129-0632-4
DESCRIPTION	NUT, PLN., SPRING
SYMBOL	G

LIST OF MATERIAL

QTY.	4
REQ. ITEM	NT129-0832-4
DESCRIPTION	NUT, R.N., SPRING
SYMBOL	H

QTY.	2
REQ. ITEM	NT129-0632-4
DESCRIPTION	NUT, PLN., SPRING
SYMBOL	G

REVISIONS

EM'N/NO	DRAFT	CHKD	ZONE	LTR	DESCRIPTION	DATE	APPROVED
20539	GE				A SLOTS J,K WERE HOLES REV HOLE CHART	2/17/72	
					ORIGINAL RELEASE FOR PRODUCTION	9/15/71	

REVISIONS

A	1/2 DIA	1 REQ'D
B	3/8 DIA	14 REQ'D
C	1/4 DIA	9 REQ'D
D	1/32 DIA	2 REQ'D
E	1/16 DIA	1 REQ'D
F	3/16 DIA	2 REQ'D

REVISIONS

G	.191-.194 DIA	2 REQ'D
H	.221-.224 DIA	4 REQ'D
I	1/4 x 1/2 SLOT	3 REQ'D
K	1/16 x 2 SLOT	2 REQ'D

REVISIONS

J	1/4 x 1/2 SLOT	3 REQ'D
K	1/16 x 2 SLOT	2 REQ'D

REVISIONS

L	1/2 DIA	2 REQ'D
M	1/4 DIA	2 REQ'D
N	1/8 DIA	2 REQ'D
O	1/16 DIA	2 REQ'D
P	1/32 DIA	2 REQ'D
Q	1/16 DIA	2 REQ'D
R	1/32 DIA	2 REQ'D
S	1/16 DIA	2 REQ'D
T	1/32 DIA	2 REQ'D
U	1/16 DIA	2 REQ'D
V	1/32 DIA	2 REQ'D
W	1/16 DIA	2 REQ'D
X	1/32 DIA	2 REQ'D
Y	1/16 DIA	2 REQ'D
Z	1/32 DIA	2 REQ'D

REVISIONS

AA	1/2 DIA	2 REQ'D
AB	1/4 DIA	2 REQ'D
AC	1/8 DIA	2 REQ'D
AD	1/16 DIA	2 REQ'D
AE	1/32 DIA	2 REQ'D
AF	1/16 DIA	2 REQ'D
AG	1/32 DIA	2 REQ'D
AH	1/16 DIA	2 REQ'D
AI	1/32 DIA	2 REQ'D
AJ	1/16 DIA	2 REQ'D
AK	1/32 DIA	2 REQ'D
AL	1/16 DIA	2 REQ'D
AM	1/32 DIA	2 REQ'D
AN	1/16 DIA	2 REQ'D
AO	1/32 DIA	2 REQ'D
AP	1/16 DIA	2 REQ'D
AQ	1/32 DIA	2 REQ'D
AR	1/16 DIA	2 REQ'D
AS	1/32 DIA	2 REQ'D
AT	1/16 DIA	2 REQ'D
AU	1/32 DIA	2 REQ'D
AV	1/16 DIA	2 REQ'D
AW	1/32 DIA	2 REQ'D
AX	1/16 DIA	2 REQ'D
AY	1/32 DIA	2 REQ'D
AZ	1/16 DIA	2 REQ'D

REVISIONS

BA	1/2 DIA	2 REQ'D
BB	1/4 DIA	2 REQ'D
BC	1/8 DIA	2 REQ'D
BD	1/16 DIA	2 REQ'D
BE	1/32 DIA	2 REQ'D
BF	1/16 DIA	2 REQ'D
BG	1/32 DIA	2 REQ'D
BH	1/16 DIA	2 REQ'D
BI	1/32 DIA	2 REQ'D
BJ	1/16 DIA	2 REQ'D
BK	1/32 DIA	2 REQ'D
BL	1/16 DIA	2 REQ'D
BM	1/32 DIA	2 REQ'D
BN	1/16 DIA	2 REQ'D
BO	1/32 DIA	2 REQ'D
BP	1/16 DIA	2 REQ'D
BQ	1/32 DIA	2 REQ'D
BR	1/16 DIA	2 REQ'D
BS	1/32 DIA	2 REQ'D
BT	1/16 DIA	2 REQ'D
BU	1/32 DIA	2 REQ'D
BV	1/16 DIA	2 REQ'D
BW	1/32 DIA	2 REQ'D
BX	1/16 DIA	2 REQ'D
BY	1/32 DIA	2 REQ'D
BZ	1/16 DIA	2 REQ'D

REVISIONS

CA	1/2 DIA	2 REQ'D
CB	1/4 DIA	2 REQ'D
CC	1/8 DIA	2 REQ'D
CD	1/16 DIA	2 REQ'D
CE	1/32 DIA	2 REQ'D
CF	1/16 DIA	2 REQ'D
CG	1/32 DIA	2 REQ'D
CH	1/16 DIA	2 REQ'D
CI	1/32 DIA	2 REQ'D
CJ	1/16 DIA	2 REQ'D
CK	1/32 DIA	2 REQ'D
CL	1/16 DIA	2 REQ'D
CM	1/32 DIA	2 REQ'D
CN	1/16 DIA	2 REQ'D
CO	1/32 DIA	2 REQ'D
CP	1/16 DIA	2 REQ'D
CQ	1/32 DIA	2 REQ'D
CR	1/16 DIA	2 REQ'D
CS	1/32 DIA	2 REQ'D
CT	1/16 DIA	2 REQ'D
CU	1/32 DIA	2 REQ'D
CV	1/16 DIA	2 REQ'D
CW	1/32 DIA	2 REQ'D
CX	1/16 DIA	2 REQ'D
CY	1/32 DIA	2 REQ'D
CZ	1/16 DIA	2 REQ'D

