


REVISIONS							
SYM	ZONE	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD	APPD
X		EXPERIMENTAL RELEASE	4/29/66	X	RME	JH	[Signature]
Ø		ORIGINAL RELEASE FOR PRODUCTION	6/26/67	Ø	RG	[Signature]	[Signature]
A		ITEM ① ADDED	3-13-78	21636	G-DL	WJB	KP



- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS
 2. ALL ANGULAR BENDS 90 DEGREES
 3. REMOVE ALL BURRS AND SHARP EDGES

HOLE LEGEND		
HOLE	DESCRIPTION	REQ
A	.161-.164 DIA	2
B	.120 DIA & C'SINK 82° TO .230 DIA (INSIDE)	4

MMX-1 A4525
 QTY. MODEL USED ON ASSY NO.

MAXIMUM ALLOWABLE TOLERANCES HAVE BEEN DETERMINED AND ANY DEVIATIONS WILL BE CAUSE FOR REJECTION.

2	1	NT129-0440-4	NUT, ROUND SWAGE	A		
QTY REQ	ITEM	PART NO.	DESCRIPTION	SYMBOL		
O. POSE BILL OF MATERIAL						
FINAL APPROVAL		DATE	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK			
MECH. DES.		DATE				
ELECT. DES.		DATE				
MATERIAL		DATE	CONNECTOR & P.C. CARD BRACKET			
.050 THK. ALUMINUM 5052 - H32		DATE				
FINISH		DATE	CODE	SIZE	DWG. NO.	ISSUE
S404 - YELLOW IRIDITE		DATE	82679	C	MS 6008	A
SCALE 1:1			SHEET 1 OF 1			