


REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
	Ø	ORIGINAL RELEASE FOR PRODUCTION	11/8/73		DV	
A		TWO "D" HOLES ADDED	3-7-78	21034	G.D.L.	W.S. K



**HOLE DESCRIPTION REQ.**

- A - .191-.194 DIA. - 8
- B - .251-.254 DIA. - 3
- C - 11/64 DIA. - 3
- D - .144 DIA CTSK 82° TO .284 DIA. 2 REQ (ONLY ON THE LEFT SIDE PLATE, -2)

**PART NO. SIDE DESCRIPTION**

- MS 6446-2 - LEFT - AS SHOWN
- MS 6446-1 - RIGHT - OPPOSITE HAND

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
3	2	NT1291032-4	NUT, ROUND	B
8	1	NT1290632-4	NUT, ROUND	A

**F. BUDETTI LIST OF MATERIAL**

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES ON  
 DECIMALS .X ± .05  
 .XX ± .01  
 .XXX ± .005  
 FRACTIONS ± 1/64  
 ANGLES ± 0° -30'

MATERIAL .064 ALUM.  
5052 H32  
FINISH SL04  
YEL. IRIDITE

FINAL APPROVAL: *W.S.* DATE: 11/6/73  
 MECH. DES. DATE:  
 ELECT. DES. DATE:  
 CHECKED: *CE* DATE: 11-6-73  
 DRAWN: *CE* DATE: 5/21/73

**THE TECHNICAL MATERIEL CORP.**  
MAMARONECK, NEW YORK

PLATE SIDE  
LEFT & RIGHT

SIZE	CODE IDENT. NO.	DWG NO.	ISSUE
C	82679	MS 6446	A

SCALE 1:1 SHEET OF

- UNLESS OTHERWISE SPECIFIED:**
- USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
  - ALL ANGULAR BENDS 90 DEGREES.
  - REMOVE ALL BURRS AND SHARP EDGES.
  - MOUNT INSERTS AFTER FINISHING.

ATSA-3

QTY / UNIT	MODEL USED ON	ASS'Y NO.
	APPLICATION	
	CODE	

NOTICE TO PERSONS RECEIVING THIS DRAWING  
 THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.