


REVISIONS							
E.M.N.O.	DRAFT	CHKD	ZONE	LTR	DESCRIPTION	DATE	APPROVED
					SC X1 DIMS 1/16 WAS 1/32	9-16-76	
					Original Release	1-10-77	



**HOLES:**

A - 11/64 DIA	5 REQ
B - .191-.194 DIA	4 REQ
C - .221-.224 DIA	19 REQ
D - .250-.254 DIA	22 REQ
E - .169 DIA C'SHK 82° TO 337 DIA	2 REQ
G - 3/4 DIA	2 REQ

- UNLESS OTHERWISE SPECIFIED:
1. USE MATERIAL THICKNESS FOR MAXIMUM RADIUS ON ALL BENDS.
  2. ALL ANGULAR BENDS 90 DEGREES.
  3. REMOVE ALL BURRS AND SHARP EDGES.
  4. MOUNT INSERTS AFTER FINISHING.

MARK TMC P/NO  
1/8 HIGH GOTHIC  
W/LATEST REV.  
LETTER

QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
21	3	NT129-1032-6	NUT, PLN	D
16	2	NT129-832-6	NUT, PLN	C
4	1	NT129-0632-6	NUT, PLN	B

LIST OF MATERIAL

**THE TECHNICAL MATERIEL CORP.**  
MAMARONECK, NEW YORK

**CHASSIS, POWER SUPPLY**

QTY / UNIT	MODEL USED ON	ASS'Y NO.
	AP156	
APPLICATION		
CODE		
NOTICE TO PERSONS RECEIVING THIS DRAWING		
THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	FINAL APPROVAL	DATE
		11/10/77
	MECH. DES.	DATE
	ELECT. DES.	DATE
	CHECKED	DATE
	DRAWN	DATE
	G.D.L.	8-14-75
TOLERANCES ON DECIMALS .X ± .05 .XX ± .01 .XXX ± .005	FRACTIONS ± 1/64 ANGLES ± 0° -30'	
MATERIAL 1/8 THK ALUM 505 2-432	FINISH 3404 YEL. IRIDITE	

SIZE	CODE	IDENT NO.	DWG NO.	ISSUE
D	82679		MS6652	1
SCALE	1:2	SHEET	OF	