




REVISIONS						
ZONE	SYM	DESCRIPTION	DATE	E.M.N. NO.	DRAFT	CHKD APPD
	X	EXP. RELEASE	8-22-66	X		
	XI	N HOLE WAS .112 DEEP	8-23-66	X		
	Ø	ORIGINAL RELEASE FOR PRODUCTION	11-18-66	Ø	RME	
	Δ	3 M HOLES DELETED (SEE NEW)	6.3.68	18948	H.Z.	FB




HOLES	DESCRIPTION	REQ.
A	DRILL & TAP FOR 4-40	4
B	.1240-.1245 DIA.	2
C	.4990-.4995 DIA.	8
D	DR. .169 DIA. C'SINK 82° TO .337 DIA.	4
E	DR. .4990-.4995 DIA. C'BORE 13/16 DIA. X .056 DP.	2
F	3/32 DIA.	1
G	1/4 DIA.	1
H	SEE DETAIL	2
J	.126-.127 DIA.	4
K	3/16 DIA.	2
L	DR. 1/8 DIA. C'BORE .219 DIA. X .125 DP.	4
M	DRILL & TAP FOR 2-56 X 1/4 DP	3

PM1306-1

PM1306 A



PM1306-2



PM1306-3 ASS'Y

REF: LD 2143-

REQ'D.	ITEM	PART NUMBER	DESCRIPTION	SYMBOL
10	3	BB126-15	BEARING, RACE	C, E
4	2	SCIG5-0440 SSG	SCREW, SOCKET HEAD	L
2	1	PN116 A 3B	PIN, DOWEL	B, J

F. BUDETTI LIST OF MATERIAL			
MATERIAL	FINISH	THE TECHNICAL MATERIEL CORP. MAMARONECK, NEW YORK	
ALUMINUM	S404 YEL. IRIDITE	TITLE: PLATE, GEAR, REAR	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES	DRAWN: [Signature]	DATE: 4-26-66	FINAL APPROVAL: [Signature]
DECIMALS: .X ± .05, .XX ± .01, .XXX ± .001	CHECKED: [Signature]	DATE: 11-17-66	DATE: 11-17-66
FRACTIONS: ± 1/64	ELECT. DES.:	DATE: 11-17-66	DATE: 11-17-66
ANGLES: ± 0° 30'	MECH. DES.:	DATE: 11-17-66	DATE: 11-17-66
TOLERANCES		SHEET: PM1306	
THE CONTENTS OF THIS DRAWING ARE THE EXCLUSIVE PROPERTY OF THE TECHNICAL MATERIEL CORP. ITS UNAUTHORIZED USE OR REPRODUCTION IN WHOLE OR IN PART IS STRICTLY FORBIDDEN.		REV. LTR. A	

NOTES

Q'TY./UNIT	MODEL USED ON	ASS'Y. NO.
1	TAA-25K	A554
SCALE: 1:1	CODE: A	