

TMC PART NO.	L uh ±	Q MIN	TEST FREQ	WIRE TYPE		NO. OF TURNS		TAP LOCATION	COIL FORM	FIG
				PRIMARY	SECONDARY	PRIM	SEC			
TZ 234-1	.095*	40	25 MHz	WI141-24-3	WI141-24	1	3	1.5	RC20GF183J	1
TZ 234-2	.7	30	25 Mz	WI141-34	WI141-28	2	20	-	RC20GF183J	2
TZ 234-3	.09	40	25MHz	WI141-24	-	3	-	1.5	RC20GF183J	3

REVISIONS						
ZONE	LTR	DESCRIPTION	DATE	E.M.N.NO	DRAFT	CHKD APPD
	Ø	ORIGINAL RELEASE FOR PRODUCTION	1-25-77		G.D.L	*

\* INDUCTANCE AND "Q" VALUES BASED ON SECONDARY WINDING

USE FOR SPARE PARTS ONLY

NOTES :

1- APPLY GL104-2 (INSULATING VARNISH U85)

FIG. 1





FIG. 2



FIG. 3



QTY. REQ.	ITEM	PART NO.	DESCRIPTION	SYMBOL
LIST OF MATERIAL				
FINAL APPROVAL		DATE	<b>THE TECHNICAL MATERIEL CORP.</b> MAMARONECK, NEW YORK  <b>TRANSFORMER, FIXED</b> <b>HF, IF</b>	
MECH. DES.		DATE		
ELECT. DES.		DATE		
CHECKED		DATE		
DRAWN		DATE	SIZE CODE IDENT. NO DWG NO. ISSUE <b>C 82679 TZ 234</b>	
MATERIAL		SCALE		
FINISH		SHEET OF		

QTY / UNIT	MODEL USED ON	ASS'Y NO.
APPLICATION		
CODE		
NOTICE TO PERSONS RECEIVING THIS DRAWING THE TECHNICAL MATERIEL CORPORATION claims proprietary right in the material disclosed hereon. This drawing is issued in confidence for engineering information only and may not be reproduced or used to manufacture anything shown hereon without permission from THE TECHNICAL MATERIEL CORPORATION to the user. This drawing is loaned for mutual assistance and is subject to recall at any time.		

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES

TOLERANCES ON

DECIMALS	FRACTIONS
.X ± .05	± 1/64
.XX ± .01	ANGLES
.XXX ± .005	± 0° -30'