

TOTAL SHEETS-

REVISIONS

USED ON
MODEL-

LMC-32A
LMC-8A

FOR

MODEL A10791-5 & 6

TITLE _____

(8) OUTPUT ASSEMBLY

LAST SYMBOLS

CONSISTS OF
SUPPORTING LISTS

NONE

NOTE:

WHEN A10791-6 IS REQUIRED
RESISTORS R15 AND R85 ARE
RN60D52R3F

MISSING SYMBOLS

REV.	SHEET(S)	DATE	APPR.
A	EMN 21978	2-26-82	

COMPILED RU JF

CHECKED _____

KEY PUNCHED _____

ENGINEERING JOB ORDER

E _____

§ FOR SPECIAL NOTES,
REFER TO S1200.

MATERIAL LIST

USED ON A10791-5

SHEET 1 OF 5

PART NUMBER	DESCRIPTION	USED ON	QTY.	QTY. PER UNIT	REFERENCE SYMBOLS	SPECIAL NOTES REFER TO S1200
A10791-4	P.C. ASS'Y OUTPUT	A10791-5	1			
BS100	SOLDER, SOFT	A10791-5	AR			
CC131-41	CAPACITOR: Fixed, mica 0.22 uf	A10791-5	1		C11	
CC10018.8	CAPACITOR: Fixed, mica 2.2 uf	A10791-5	1		C21	
			1		C31	
			1		C41	
			1		C51	
			1		C61	
			1		C71	
			1	8	C81	
			1		C1	
			1		C2	
			1		C12	
			1		C13	
			1		C22	
			1		C23	
			1		C32	
			1		C33	
			1		C42	
			1		C43	
			1		C52	
1		C53				
1		C62				
1		C63				
1		C72				
1		C73				
1		C82				
CL275-221	INDUCTOR: RF coil, 220 uH	A10791-5	1	18	C83	
			1		L11	
			1		L21	
			1		L31	
			1		L41	

MATERIAL LIST

USED ON A10791-5

SHEET 5 OF 5

PART NUMBER	DESCRIPTION	USED ON	QTY.	QTY. PER UNIT	REFERENCE SYMBOLS	SPECIAL NOTES REFER TO S1200
		A10791-5 ↓ A10791-5	1 1 1 1	8	Q51 Q61 Q71 Q81	