

OTTAWA, ONTARIO

TMC(Canada)LIMITED

BILL OF MATERIAL

MODEL VCT

PROJ. NO.

LIST NO. ML-10066

ISSUE A

SHEET 1 OF 4 SHEETS

PART NO.	QUAN. PER ONE EQUIP.	DESCRIPTION	REMARKS
TM100-3	2	BOARD: terminal, barrier type, three 6-32 x $\frac{1}{4}$ " binding head machine screws	E101, E102
TM105-3-A-R	2	Fanning Strip: For TM100-3	
CN10005-2	2	CAPACITOR: fixed, ceramic, .27mfd, 400V DCW	C101, C104
CC10002-1	2	CAPACITOR: fixed, ceramic, disc, .01 mfd, 500V	C102, C103
CE52E200R	1	CAPACITOR: fixed, cylindrical electrolytic, 2 x 20 mfd, 450V, Pyramid CE52E200R	C105A, C105B
FX10012	1	FILTER: low pass, 600 ohm input and output, 2000 c/s Communication Accessories Co. 90-0740-00	FX101
FU-100-.500	2	FUSE: cartridge, 0.5 amp, 250V	F101
FH103	2	HOLDER: fuse, extractor post type; length 2-9/16"	XF101
JJ-100	1	RECEPTACLE: male twist lock, 250V AC 10 amp Hubbell	J101
TF5000	1	CHOKE: filter, TF5000	L101
RC20GF101K	1	RESISTOR: fixed, composition, 100 ohm \pm 10%, 1/2W	R101
RV4ATSA105A	1	POTENTIOMETER: carbon 100K ohm .2W	R102
RC20GF473K	2	RESISTOR: fixed, composition, 47K ohm \pm 10% 1/2W	R103, R106
RC20GF821K	2	RESISTOR: fixed, composition, 820 ohm \pm 10% 1/2W	R104, R107
RC30GF103K	1	RESISTOR: fixed, composition, 10K ohm \pm 10%, 1W	R105
RC20GF472K	1	RESISTOR: fixed, composition, 4.7K ohm \pm 10%, 1/2W	R108
ST22K	1	SWITCH: toggle, DSPT, 1 amp, 250V, 28 degrees	S101
TF112	1	TRANSFORMER: CG-134, UTC or H-19A UTC	T101
TF10015	1	TRANSFORMER: Hammond 804	T102

↑ APPLICABLE SPECIFICATIONS, LAST PAGE ↓

CHECKED *M. Kramer*APPROVED *[Signature]*

TMC(Canada) LIMITED

OTTAWA, ONTARIO

BILL OF MATERIAL

MODEL VCT
ISSUE A

PROJ. NO.

LIST NO. ML-10066
SHEET 2 OF 4 SHEETS

PART NO.	QUAN. PER ONE EQUIP.	DESCRIPTION	REMARKS
TF-126	1	TRANSFORMER: TF-126	T103
12AU7	1	TUBE: electron, 12AU7	V101
6X4	1	TUBE: electron, 6X4	V102
TS-102-P01	1	SOCKET: 7 pin miniature, moulded thermo setting plastic insulation	XV102
TS-103-P01	1	SOCKET: 9 pin miniature, moulded thermo setting plastic insulation	XV101
TS-101-P01	1	SOCKET: octal base, moulded thermo setting plastic insulation	XC105
BI-104-44	1	LAMP: incandescent bayonet base, 6-8V, 25 amp, T-3 1/4 bulb	I101
Fig. No. A10172	1	PANEL: front	Ref. LD10045
Fig. No. MS-10252	1	CHASSIS:	
Fig. No. MS-10253	1	BARRIER:	
TE-115-2	3	Terminal Turret	
NT-101-4	1	STRAP, nut, 7 pin	
NT-101-5	1	STRAP, nut, 9 pin	
TS-102-U03	1	SHIELD: tube	
TS-103-U03	1	SHIELD: tube	
TE-104-1	1	SOLDER LUG: No.4	
TE-104-2	8	SOLDER LUG: No.6	
TE-104-3	1	SOLDER LUG: No.8	

↑ APPLICABLE SPECIFICATIONS, LAST PAGE ↓

CHECKED *M. Krueger*

APPROVED *[Signature]*

OTTAWA, ONTARIO

TMC(Canada)LIMITED

BILL OF MATERIAL

MODEL VCT

PROJ. NO.

LIST NO. MI-10066

ISSUE A

SHEET 3 OF 4 SHEETS

PART NO.	QUAN. PER ONE EQUIP.	DESCRIPTION	REMARKS
	6	WASHER: lock, internal No.4	
	15	WASHER: lock, internal No.6	
	17	WASHER: lock, internal No.8	
	3	SCREW: No.4-32 x 3/16"	
	4	SCREW: No.4-32 x 7/32"	
	8	SCREW: No.6-32 x 9/16"	
	20	SCREW: No.8-32 x 7/16"	
	40	SCREW: No.8-32 x 1/2" flat head	
	10	SCREW: No.8-32 x 3/8"	
	21	NUT: No.6-32	
	18	NUT: No.8-32	
	12	NUT: speed, 6-32	
Dwg. No. CA-10072		WIRE: 22, white	
Dwg. No. CA-10072		WIRE: 22, grey	
Dwg. No. CK-10257		WIRE: 22, brown	
Dwg. No. CK-10257		WIRE: 22, red	
Dwg. No. CK-10257		WIRE: 22, shielded	
Dwg. No. NP-10001		NAMEPLATE: 3" x 2"	
	4	SCREW: self tapping 3-56	
Dwg. No. MS-10257	2	COVER: dust	

↑ APPLICABLE SPECIFICATIONS, LAST PAGE ↓

CHECKED *M. Kraemer*

APPROVED *[Signature]*

OTTAWA, ONTARIO

TMC(Canada)LIMITED

BILL OF MATERIAL

MODEL VCT

PROJ. NO.

LIST NO. ML-10066

ISSUE A

SHEET 4 OF 4 SHEETS

PART NO.	QUAN. PER ONE EQUIP.	DESCRIPTION	REMARKS
	1	PLUG: snaphole, 1/2"	
	1	CORD ASSEMBLY: AC line, Cornish Wire Co. No. 1628	

↑ APPLICABLE SPECIFICATIONS. LAST PAGE ↓

CHECKED *U. Krauss*

APPROVED *[Signature]*

